


193-230 Pool Covers















Certikin Solar Blankets

More than ever, a solar blanket is a firm necessity when it comes to operating a pool in the UK. By offering solar gain, heat retention and a water loss barrier, a good quality and well-made bubble cover will provide years of service and save money far beyond its original cost in a very short period of time.

Certikin offers a range of solar covers to suit every need, from our exclusive premium quality, premium payback Suncap cover, through to the new and unique Geo-Bubble design which has multiple user benefits, right to the long established industry standard 400 and 500 micron traditional bubble covers.

No matter what choice is right for a specific instance, these facts cover the whole range:

- All Certikin covers are manufactured at floor level to ensure the flattest possible finish to each cover, however some reversion at the welded seam can be visible
- All covers sized up to 40'x 20' (12m x 6m) are delivered in a storage bag and come complete with a complimentary basic solar protection sheet.
- If connecting your cover to a reel system, it is recommended that you use one of our Aquablade towing systems to safely dispense the cover onto the pool, see page 202.
- Covers which require shaping can be shaped in the factory at a charge (see page 202) or can be trimmed on site with household scissors. For shaped covers which require hemming, a template or thorough dimensions should be supplied at point of order.
- Blankets are invoiced in metric at their actual square metre finished size.
- Imperial measurements are rounded up to the nearest 1" on length and width.
- Failure to use the supplied, or similar, solar protection sheet, failure to maintain water quality to SPATA standards or the running of pool water temperatures in excess of 30°C may result in the cover warranty being void.

Geo-Bubble 600 Micron

Blue / Silver

The following sized plain edged covers are held in stock: $24' \times 12' / 28' \times 14' / 30' \times 15'$

- Blue / silver colour
- 6 year pro-rata guarantee
- Unique GeoBubble design and technology
- · Reflective underside increases heat retention
- 2060mm panel width
- 564g per m²







Items that are made to measure, bespoke are non-returnable

What shape is a bubble?


Traditional bubble cover materials have always made use of a circular/cylindrical bubble design, but experience has begun to show that this design offers multiple weak points which can be prone to premature failure in the harsh environments of a swimming pool.

The new Geo-Bubble extrusion has specifically been created to combat the attacks of UV and pool chemicals and has converted the limitations of a traditional bubble to great advantages.

Sharp corners which were once an area of high stress have been replaced by a smoother, more uniform shape and a thickness of material (50% thicker that standard bubble) which considerably increases the bubbles resistance to attack from the water. On the surface, improved UV additives, stabilisers and anti-oxidants have added to the covers overall durability and within the bubble a larger cavity offers more room for air expansion.


All in all, Geo-Bubble covers offer excellent levels of performance and durability over standard pool covers.






| N | CDNDC | Dor ft2 | £0 0E |
|-----|------------|--------------------|--------|
| N | SBNPG | Per m ² | £10.28 |
| 600 |) Micron B | lanket | Price |
| Geo | -Bubble - | | |

| £275.56 | £375.07 | £430.57 | £489.89 | £620.02 | £765.45 |
|---------|---------|---------|---------|---------|---------|
| 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |
| Example | | | | | |







New Geo-Bubble technology has been used to further increase the performance of the existing range of 'Guard' products, and for Certikin's exclusive 600 micron blue / silver bubble cover.

Certikin Solar Blanket - High Performance - Geo Bubble

Sol+Guard

The highly efficient Sol+Guard offers high performance in solar gain and heat retention. The highly transparent material, with just a hint of blue colouring to the bottom layer allows high levels of solar entry into the pool and the 500 micron thickness provides durability, good heat retention and low water loss levels.

NEW: Sol+Guard 180 offers all the benefits of the standard Sol+product, but with the additional UV protection through increased protective additives (1.2% as opposed to 0.99%), making it ideal for extreme sun traps and overseas use.







Transparent Layers

s Hi

r Reduces Evaporation

Offers Heat Retention



- Highly translucent material
 very subtle hint of turquoise
- 6 year pro-rata guarantee
- Unique Geo-Bubble design and technology
- Can increase pool water temperature by up to 8°C
- 2060mm panel width
- 460g per m2

Energy Guard - Grey & Black

Manufactured with a unique deep grey surface and black underside, Energy Guard offers a wide range of benefits making it an excellent all round cover.

The dark colouring of the material reduces the amount of sunlight which can penetrate into the pool and hence inhibits the growth of algae making for safer, cleaner water. The dark colour also absorbs heat from the sun and transfers it directly into the pool water thus reducing energy bills.


Energy Guard Selective Transmission - Midnight Blue

Maximising pool temperature and inhibiting algae growth at the same time is now possible with this innovative light filtering material, meaning there is no need to compromise between temperature performance and chemical savings.

Offering optimized solar gain and algae inhibition, the patent applied for Energy Guard material now effectively delivers the best possible balance between solar heat gain, chemical and filtration reductions, making it the most innovative solar cover to date.



- Unique grey/black or Midnight blue (ST) colours
- 6 year pro-rata guarantee
- Ultra tough materials maximum durability
- Opaque colouring inhibits algae growth
- 2060mm panel width
- 460g per m²



| Ge | oSol + Guard | - Hint Of Blue | Price |
|----|--------------|---------------------|--------|
| N | SBSPG | Per m ² | £10.05 |
| N | SBSPG | Per ft ² | £0.93 |
| N | SBSPG180 | Per m ² | £11.00 |
| N | SBSPG180 | Per ft ² | £1.02 |




Items that are made to measure, bespoke are non-returnable items.

| Г | | _1. |
|-----|---|-----|
| rxa | m | MIE |

| | 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |
|----------|---------|---------|---------|---------|---------|---------|
| SBSPG | £269.21 | £366.43 | £420.64 | £478.60 | £605.73 | £747.81 |
| SBSPG180 | £294.88 | £401.36 | £460.75 | £524.23 | £663.47 | £819.10 |

Plain edged covers are held in stock for 20 x 12, 28 x 14 and 30 x 15 sizes.



| Ene | rgy Guard | - Grey / | Black | (WSL) | Price |
|-----|-----------|---------------------|-------|-------|-------|
| N | SBEPG | Per m ² | | £ | 10.20 |
| N | SBEPG | Per ft ² | | | £0.95 |

| Energ | y Guard ST | Midnight BLue | Price |
|-------|------------|--------------------|--------|
| N | SBEPGST | Per m ² | £10.20 |
| N | SREPGST | Per ft2 | £0 95 |

Example

| | 28 x 14 £372.11 | | | | |
|---------|--------------------|---------|---------|---------|---------|
| £2/3.39 | £3/2.11 | 142/.1/ | 1486.02 | 1615.12 | £/59.41 |









Inhibits Algae Growth Offer

Offers Heat Retention

ces Evaporation Ef



Items that are made to measure, bespoke are non-returnable items.

Certikin Solar Blanket -High Performance -Geo Bubble

400 Micron Geo-Bubble Blanket

| - Blu | ie / Blue | | Price |
|-------|-----------|---------------------|-------|
| M | SBTPG | Per m ² | £6.19 |
| M | SBTPG | Per ft ² | £0.58 |

Example

| £165.94 | £225.86 | £259.28 | £295.00 | £373.36 | £460.93 |
|---------|---------|---------|---------|---------|---------|
| 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |

- Blue / blue colour
- High performance Geo-Bubble design
- Extended life span
- Translucent colouring
- 2060mm panel width
- 368g per m²

400 Micron Geo-Bubble Blanket -

| Blu | e / Silver | Price | |
|-----|------------|---------------------|-------|
| M | SBTDPG | Per m ² | £6.85 |
| M | SBTDPG | Per ft ² | £0.64 |

| 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |
|---------|---------|---------|---------|---------|---------|
| £183.62 | £249.92 | £286.90 | £326.43 | £413.14 | £510.05 |

- Blue / silver colour
- High performance Geo-Bubble design
- Reflective underside increases heat retention
- Translucent colouring
- 2060mm panel width
- 368g per m²

500 Micron Geo-Bubble Blanket

| - Bli | ue / Blue | Price | |
|-------|-----------|---------------------|-------|
| M | SBCPG | Per m ² | £8.38 |
| M | SBCPG | Per ft ² | £0.78 |

| f224.69 | f305.83 | £351.08 | f399.46 | f505.56 | f624.15 |
|---------|---------|---------|---------|---------|---------|
| 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |
| • | | | | | |

- Blue / blue colour
- High performance Geo-Bubble design
- 5 year pro rata warranty
- Translucent colouring
- 2060mm panel width
- 460g per m²


500 Micron Geo-Bubble Blanket -


| Jade / Gold | | Price |
|-------------|---------------------|-------|
| M SBJGPG | Per m ² | £8.68 |
| M SBJGPG | Per ft ² | £0.81 |


| £232 58 | £316 57 | £363 41 | £413.48 | £523 31 | £646 06 |
|---------|---------|---------|---------|---------|---------|
| 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |
| • | | | | | |


- Unique jade / gold colour
- High performance Geo-Bubble design
 Reflective underside increases heat retention
- 2060mm panel width
- 460g per m²











Certikin Solar Blankets - Standard

400 Micron Blanket - Blue / Blue Price SBTP Per m² £5.89 Per ft² £0.55 SBTP

| £157.78 | £214.75 | £246.52 | £280.49 | £354.99 | £438.27 |
|---------|---------|---------|---------|---------|---------|
| 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |

- Blue / blue colour
- 3 year pro-rata guarantee
- 12mm diameter standard bubble
- Translucent colouring for maximum solar penetration
- 2060mm panel width
- 368g per m²

400 Micron Blanket -

| Blu | e / Silver | | Price |
|-----|------------|---------------------|-------|
| M | SBTDP | Per m ² | £6.53 |
| M | SBTDP | Per ft ² | £0.61 |

Example

| 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |
|---------|---------|---------|---------|---------|---------|
| £174.91 | £238.08 | £273.30 | £310.96 | £393.55 | £485.87 |

- Blue / silver colour
- 3 year pro-rata guarantee
- 12mm diameter standard bubble
- Reflective underside increases heat retention
- 2060mm panel width
- 368g per m²

500 Micron Blanket - Blue / Blue Price

| M | SBCP | Per m ² | £7.88 |
|---|------|---------------------|-------|
| M | SBCP | Per ft ² | £0.73 |

| £211.09 | £287.32 | £329.83 | £375.28 | £474.96 | £586.37 |
|----------|---------|---------|---------|---------|---------|
| 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |
| -Mannpio | | | | | |

- Blue / blue colour
- 4 year pro-rata guarantee 12mm diameter standard bubble
- Translucent colouring for maximum solar penetration
- 2060mm panel width
- 460g per m²


500 Micron Blanket -

| Jad | e / Gold | | Price |
|-----|----------|---------------------|-------|
| M | SBJGP | Per m ² | £8.27 |
| M | SBJGP | Per ft ² | £0.77 |


Example

| £221.70 | £301.76 | £346.41 | £394.14 | £498.83 | £615.84 |
|---------|---------|---------|---------|---------|---------|
| 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |


- Jade / gold colour
- 4 year pro-rata guarantee
- 12mm diameter standard bubble
- Reflective underside increases heat retention
- 2060mm panel width
- 460g per m²




400 Micron Blanket - Blue / Blue



400 Micron Blanket - Blue / Silver



500 Micron Blanket - Blue / Blue



500 Micron Blanket - Jade / Gold

Certikin Suncap Solar Blankets - WSL

Certikin Suncap Solar Blanket - Suncap: Premium Life Span; Premium Performance; Premium Payback

Exclusive to Certikin in the UK, the Suncap solar blanket offers the highest level of quality, longevity and value for money available in our market today.

Designed to cope with harsh conditions in Australia, Suncap offers maximum durability against the effects of sun, salt and chlorine and this is backed up by warranty periods of up to 6 years.


The core, ultra tough bubble material and the propriety extrusion techniques used in its manfacture are the secret to the product's effectiveness, strength and durability, and the inclusion of superior UV inhibitors increase the covers resilience even more. In addition, the effectiveness of Suncap material is such that it can help to inrease pool water temperatures by 8° C.

For all modifications and accessories, such as hemming, reinforcing, shaping, towing systems etc.

Please see page 202

Certikin Suncap 500 Micron Blanket - Blue / Silver









Certikin Suncap 500 Micron Blanket - Blue / Silver


 N
 SCSBP
 Per m²
 £9.22

 N
 SCSBP
 Per ft²
 £0.86

- Blue / silver colour
- 6 year pro-rata guarantee
- Ultra tough materials maximum durability
- Reflective underside increases heat retention
- 1270mm panel width
- 450g per m²

Example

| 24 x 12 | 28 x 14 | 30 x 15 | 32 x 16 | 36 x 18 | 40 x 20 |
|---------|---------|---------|---------|---------|---------|
| £247.10 | £336.33 | £386.10 | £439.29 | £555.98 | £686.39 |



Stretched - Old Style Bubble Shape The weak points deteriorate and reduce bubble strength and effectiveness



Suncap - thicker and stronger
The Suncap bubble thickness is consistent which
increases strength, efficiency and longevity.

The even distribution of material across the bubble increases its strength and hence extends the covers life. The 'corners' of traditional bubbles are potential weak points as material distribution can be thinner at these points – the points more susceptible to catching on copings etc. The bubble shape also provides superior buoyancy and excellent adhesion to the water during high winds and its lower profile makes the cover more compact when rolled around a reel system.

PERFECTLY FORMED

BESPOKE TILED GRP SWIMMING POOLS, VITALITY SPAS AND SWIMSPAS MANUFACTURED TO ORDER









DESIGN • MANUFACTURE • INSTALLATION







Certikin Heat Retention Covers

Foam Heat Retention Covers

Certikin foam heat retention covers are manufactured from a closedcell PE foam. Our 6mm Thermalux is suitable for all heat retention purposes on pools run up to 30°C and benefits from a laminated underside and a strong woven polyethylene top coat making it extremely hard wearing. The density of the material helps to keep light penetration to a minimum and therefore reduces algae growth.

Our popular 6mm foam is now available with a solid white surface and joined with a matching solid white joint tape. The crisp white finish is ideal for blending with spas, white tiles and lighter coloured pool surrounds – or just to stand out! Overall performance of the cover is exactly the same as the traditional full blue foam.

Of course the main purpose of a heat retention cover is to limit heat loss and this is where foam covers come into their element – a good fitting and correctly used 6mm foam cover will eliminate heat loss by 85- 90%, significantly reducing running costs and offering a very quick payback period (retention and payback will differ from site to site).

Due to the nature of these materials and the manufacturing process, some creasing of the top coat can be present (especially on hemmed covers) and the cover may not lie perfectly flat – covers are rolled, not folded, for dispatch in order to eliminate these where possible.

Unless requested otherwise at time of order, all 6mm foam covers will be made approximately 30mm narrower than pool width to allow ease of movement on and off the pool. Covers over 10.5m in length will be seamed across the width of the cover. Covers at or over 100m² cannot be hemmed.


Spa / Hydrotherapy Foam

A dense 12mm foam which is ideal for spas and small hydrotherapy pools with running temperatures of up to 40 degree C. Double layered blue textured foam with a clear foil laminate to the top and bottom surfaces. Can be made into jumbo rolls ($50m \times 3m$) for multiple cover cut outs. Panel width 1500mm. 1 year warranty

The Thermalux 12mm foam is not suitable for roller systems - and cannot be hemmed.

Modifications & Accessories: For all modifications and accessories, such as hemming, reinforcing, shaping, towing systems etc. Please see page 202.






 N
 TXP
 Per m²
 £28.18


 N
 TXP
 Per ft²
 £2.62

- Tough woven surface and laminated underside
- Hemming optional at extra cost
- 4 year pro-rata warranty
- \bullet 350g / m^2 panel width 1850mm
- R-value 0.16 / U-value 6.25



 $\begin{array}{c|cccc} Thermalux \ 6mm \ Foam \ (white/blue) & Price \\ \hline N & TXPW & Per \ m^2 & £31.94 \\ \hline N & TXPW & Per \ ft^2 & £2.96 \\ \hline \end{array}$

- Unique solid white woven surface
- · Joined with matching white strap
- White hemming optional at an extra cost
- 4 year pro-rata warranty
- \bullet 350g / $m^2\text{-}$ panel width 1850mm
- R-value 0.16 / U-value 6.25



| The | rmalux 12ı | Price | |
|-----|------------|---------------------|--------|
| N | TXP12 | Per m ² | £33.90 |
| N | TXP12 | Per ft ² | £3.15 |
| N | TXP12 | Jumbo Roll | POA |

- Double thickness foam with lamination to both sides
 Toward on mode/conduct to 4000
- For use on pools/spas up to 40°C
- 1 year warranty
- Panel width 1850mm
- R-value 0.32 / U-value 3.1
- Jumbo Rolls to specifications Minimum 100m²

Certikin Heat Retention Covers



Heat retention bubble covers:

Certikin heat retention bubble covers are manufactured from the highest grade materials and are suitable for all pools. Based on a 400 micron density bubble material and with a tough, tear resistant woven surface, these covers are suitable for frequent use areas where durability is essential. Solar weave is particularly suitable for outdoor pools as it combines the features of a heat retention cover with the translucent surface of a solar blanket, thus also benefiting from solar gain. As with all Certikin covers, floor level welding makes them as flat and even as possible. Hemming is available for extra longevity, and covers can be made to size or are easily trimmed on site.

Solar Weave -

| 3 ye | ears pro-r | Price | |
|------|------------|---------------------|--------|
| N | SWP | Per m ² | £13.51 |
| N | SWP | Per ft ² | £1.26 |

Solar Weave


- Tough, tear resistant top surface for longevity and improved heat retention
- Semi-transparent colouring also allows solar gain
- Increased UV protection
- Weight 540g/m² : 2060mm panel width : density 400 micron


Ruhhleweave -

| | ears pro-r | Price | |
|---|------------|---------------------|--------|
| N | BWP | Per m ² | £14.34 |
| N | BWP | Per ft ² | £1.33 |

Bubbleweave

- Opaque blue, reinforced top coat with extra UV protection
- Extremely tough, hard-wearing cover
- Weight 540g/m²: 2060mm panel width: density 400 micron






Modifications & Accessories: For all modifications and accessories, such as hemming, reinforcing, shaping, towing systems etc. Please see page 202.



Aquablade Leading Edge. Towing System & Floating **Covers Accessories**



Give your cover an edge with the Aquablade Leading Edge Towing System. For the effortless application of any cover the Aquablade is unparalleled. Made from tough foam filled netting, it will not fill with water and will keep the cover buoyant at all

- · Aquablade towing system with factory stitched PVC bridge.
- . NOW available in black. Suffix the code with /B
- · Order for covers with factory fitted Aquablades over 6.1m (20') in width will automatically have commercial leading edges attached unless otherwise requested.
- · Factory bridges are designed to allow a roman end to be fitted to your blanket along with a full width Aquablade - all items should be ordered separately and are factory fitment only.



Aqua-Spoiler

Aqua-Spoiler is an extruded ABS leading edge system which is strong rigid and buoyant. It can be attached to foam and bubble covers, is easy to install and its rigidity means that only one central pulling point is required - the Aqua-Spoiler is supplied with a detachable strap that is twice the Aqua-Spolier width + 5'.

Aqua-Spoiler is supplied as a boxed product only for site installation. Minimum cover width is 9'.

Premium Protect Solar Sheet

Whilst Certikin solar blankets are supplied with a complimentary, basic solar protect sheet, for much improved performance and longer lasting protection, the Premium Solar Protect Sheet is the ideal

When off the pool and on the reel, any solar cover left unprotected in direct sunlight can be in serious trouble. Temperature within the coiled layers of the cover increases rapidly and can have an irrecoverable effect on the solar blanket - delamination being a very common problem seen on an unprotected solar cover. A solar cover is an investment - the Premium Protect Solar Sheet keeps it working at its premium level.

- · Can reduce temperatures within a coiled cover by up to 30deg C
- · Significantly reduces risk of non-warranty failure
- Extends the life and performance of any solar blanket
- UV stabilised reflective material
- · Easily secured with the Solar Sheet Strap Kit.

| Aqu | Aquablade Leading Edge Towing System | | | |
|-----|--------------------------------------|-------------------------------------|---------|--|
| N | AQB1 | DIY Domestic 3.65m (12') | £123.95 | |
| N | AQB1F | Factory fitted Domestic 3.65m (12') | £185.55 | |
| N | AQB2 | DIY Domestic 4.88m (16') | £138.65 | |

| N | AQB1F | Factory fitted Domestic 3.65m (12') | £185.55 |
|---|-------|---|---------|
| N | AQB2 | DIY Domestic 4.88m (16') | £138.65 |
| N | AQB2F | Factory fitted Domestic 4.88m (16') | £208.45 |
| N | AQB3 | DIY Domestic 6.10m (20') | £157.65 |
| N | AQB3F | Factory fitted DIY Domestic 6.10m (20') | £234.95 |
| N | AQBC1 | Commercial up to 8 metres | £328.25 |
| N | AQBC2 | Commercial up to 10 metres | £421.85 |

Aqua- Spoiler Q AQSP12 Aqua-Spoiler - Boxed - for covers up to 12' (3.65m) £195.00

AQSP16 Aqua-Spoiler- Boxed - for covers up to 16' (4.9m) AQSP20 Aqua-Spoiler- Boxed - for covers up to 20' (6.1m) £260.00

Suffix the code with /W for white Aqua-Spoiler

| Add | itional Extras | - For All Floating Pool Covers | Price |
|-----|----------------|--|--------|
| N | FCHEM | Hemming - per running metre * | £4.80 |
| N | FCSRE | Shaping for Roman ends / steps / corners / ladders / rail cutouts (un-hemmed each) | £37.35 |
| N | FCRT | Reinforced tail edge - per metre | £14.05 |
| N | FCRS | Reinforced sleeve - per metre (specify sleeve diameter) | £14.90 |
| N | FCSHAP | Freeform shaping - per metre ² | £3.35 |
| N | FCEX4 | Factory stitched PVC bridge for 4' radius RE | £44.45 |
| N | FCEX5 | Factory stitched PVC bridge for 5' radius RE | £54.71 |
| N | FCEX6 | Factory stitched PVC bridge for 6' radius RE | £62.15 |
| N | FCEXFT | Factory fitted PVC bridge - per ft | £5.55 |

^{*} Available in blue, green, light grey and white

| N | DDCCTD102 | Universal sever to reller etrap kit 2 metre etrap | £02 /E |
|--|-----------|---|--------|
| N | DRCCTR101 | Universal cover to roller strap kit - 1 metre strap | £79.00 |
| Additional Extras - Cover To Roller Connection | | | Price |

Our new Universal Cover To Roller Strap Kit is suitable for most domestic rollers currently available on the market. The nine strap kit (either 1m or 3m straps) contains cover connectors, quick release buckles and a selection of roller connections which allow fitting to the current and old Certikin Atlas roller, the Plastica Slidelock roller and any roller which requires push through grommets (e.g Aquamat) - there is also a self-drilling screw attachment option which will work on practically any aluminium roller tube.





| Premium | Protect | Solar | Sheet | |
|---------|---------|-------|-------|--|
|---------|---------|-------|-------|--|


| Price |
|--------|
| £82.55 |
| 005.45 |

| M | PPSS25 | Premium protect solar sheet 25 x 1m | £82.55 |
|---|--------|---|--------|
| M | PPSS06 | Premium protect sheet 6 x 1m | £25.45 |
| P | PPSSK1 | Solar sheet strap kit - 3 adjustable straps | £9.50 |

Eco Reel - Domestic Bubble Cover Roller



Eco - Mobile



Eco - Floor



Eco - Wall


Our Eco-Reel roller offers exceptional value for money by combining high quality stainless steel end supports with a sturdy telescopic aluminium tube system and all the features you would expect from a premium style roller

The Eco-Reel is available in three styles, mobile, fixed-floor and fixed-wall, each offering three size ranges for pools from 2.6m to 5.7m wide and is suitable for bubble covers up to 12m in length. However, the optimum operational capacity of the reel system is surpasses when a cover exceeds 50m^2 . Each system includes a crank handle, a slide-lock anti-unwind system and fully adjustable cover-to-roller strap kit as standard.


Features

- High quality stainless steel end supports
- Sturdy telescopic aluminium tubing
- · Easy turn crank handle
- Slide-lock locking system on all models
- · Adjustable cover to roller kit with all models
- Suitable for bubble covers from 2.6m to 5.7m wide


| Eco | o - Mobile | Price | |
|-----|------------|-------------------------------|---------|
| P | DRERM43 | Eco-Reel - Mobile 2.6m - 4.3m | £450.00 |
| P | DRERM57 | Eco Reel - Mobile 4.1m - 5.7m | £510.00 |
| | | | |



| Eco - Floor | | | Price | |
|-------------|---------|------------------------------------|---------|--|
| P | DRERF43 | Eco-Reel - Floor Fixed 2.6m - 4.3m | £415.00 | |
| Р | DRERF57 | Eco-Reel - Floor Fixed 4.1m - 5.7m | £480.00 | |



| Eco | o - Wall | | Price |
|-----|----------|-----------------------------|---------|
| P | DRERW43 | Eco-Reel - Wall 2.6m - 4.3m | £490.00 |
| Р | DRERW57 | Eco-Reel - Wall 4.1m - 5.7m | £550.00 |



Domestic Pool Rocky Roller & Reel Cover

The Rocky Roller has been available on the global market for many years and has become one of the largest selling reel systems in the world - for the simple reason that it is excellent at its job.

It is the only domestic roller which carries a full 10 year manufacturer's guarantee, a testament to its strength and durability.

The end supports and winding handle are of simple, yet effective design. Made from high strength die cast aluminium with a baked enamel finish they are super tough, as well as being UV and temperature resistant. The three-piece telescopic tube has satin lustre anodised finish to match the durability of the end supports.

The Rocky Roller is suitable for covers up to 45' (13.7m) in length and 20' (6.1m) in width and comes complete with its own cover to roller strap connection system. The system can be permanently fixed to the deck (fixings not provided) or can be used as a mobile system by way of the 2" heavy duty castors and anchoring system which come with each roller.

It is easy to assemble and easy to use - in fact the simplicity of the product is one of its benefits as there are minimal moving parts, hence fewer potential issues.

The Rocky Roller comes in a retail presentation box (pictured below) and is available as a single unit or as a permanent bulk buy offer eleven rollers for the price of ten.

Rocky Rollers

Price

P RR3AAT-1

Rocky Roller 3A Portable Reel

£665.00

Features:

- · Strong die cast aluminium construction
- Super tough baked enamel finish to end supports
- · Easy to assemble, install and use
- · Complete with cover to roller straps, castors and anchoring system
- Light weight (6kg in total) yet extremely strong
- · UV and temperature resistant
- Suitable for covers up to 45' x 20'



Certikin Domestic Reel Cover

Manufactured from a durable but attractive blue PVC, the Certikin Domestic Reel Cover is a simple but effective way of keeping your domestic pool cover roller, and the cover itself, clean and dry over winter. This both prolongs the appearance, life and effectiveness of both the reel and pool cover.

The two part tunnel system simply slips over the reel and overlaps in the centre - choose the correct size for the reel width you have. A set of straps then secures the reel cover around the pool cover to keep it in place, protecting the reel and cover from the winter

Certikin Domestic Reel Cover

P DRCRCS15 Reel Storage Cover Small - Reels Up To 15' £112.50 DRCRCM18 Reel Storage Cover Medium - Reels Up To 18' £123.50





Slidelock Telescopic & Monaco Reel System

Telescopic Reel System

The domestic Slidelock telescopic reel system is widely considered to be the best domestic reel on the market, thanks to its ease of installation and great strength.

- Manufactured in anodised aluminium tube, it has mirror polished stainless steel end stands, plastic bearings and steering wheels with stainless steel axle crank handles.
- The reels can be supplied with a range of different end stands at no extra cost.
- The standard reel comes in two sizes of box: the first of which contains the telescopic tube available in two sizes the small tube which telescopes from 3.05m to 4.57m (10' to 15') pool size and the large, extending from 4.88m to 6.4m (16' to 21') pool size. The tube diameter is approx. 99mm (3 7/8"). The small tube box measures 240mm x130mm x 2560mm long and weighs 10kg whilst the large tube box measures 240mm x 130mm x 3050mm and weighs 15kg. Both small and large come with a second box containing the required end stands together with steering wheels and end bosses, measuring 520mm x 565mm x 450mm and weighing 15kg.
- Please allow a maximum 1" overlap each side (minimum 6"). The maximum recommended area of material on either size reel is 75 sq m (800 sq ft). Extra care should be taken when quoting or installing reels for covers over 19' wide.
- · Cover to Roller kit included.



The Monaco Premier is the ultimate manual domestic roller. This top of the range product is British made and is packed full of high quality features. The rigid telescopic tubing system includes an integral locking device to brace the extended tube in position. It is then supported on a pair of mirror polished stainless steel end supports with a roller bearing yoke for ease of movement. The tubing system includes anti reel locking device which stops the cover dispensing itself from the reel. Adjustable feet for levelling on uneven paving are included, or a premium quality, smooth running, locking castor set is available as an optional extra. A deluxe five spoke hand wheel operates the system, made all the easier by the inclusion of the unique 3:1 ratio Smartgear system which reduces the effort of winding the pool cover considerably.

Cover to Roller kit included.

Available in two size ranges, the Monaco Premier is suitable for pools up to 21° (6.4m) wide.



Smart Gear System



| Sli | delock Reel Sys | 15' Price | 21' Price | |
|-----|-----------------|--|-----------|---------|
| P | DSR15/21 | Slidelock telescopic Reel - Standard | £616.50 | £663.85 |
| P | DSW15/21 | Slidelock telescopic Reel - Wall Mount | £616.50 | £663.85 |
| P | DSB15/21 | Slidelock telescopic Reel - Base Plate | £616.50 | £663.85 |
| P | DSS15/21 | Slidelock telescopic Reel - Sleeved | £616.50 | £663.85 |
| P | DSSW15/21 | Slidelock telescopic Reel - Side Wall | £616.50 | £663.85 |

Domestic Reel Accessories

| Q | DSPK1 | Slidelock strap set (pack of 10 individually packed) | £96.00 | | |
|---|-------|--|---------|--|--|
| Q | DSPK2 | Reel easy castor pack (6) | £103.00 | | |
| Q | DSPK3 | Reel easy threaded deck anchors - per pair | £55.00 | | |



Monaco Premier Geared Reel

| Wichado Fromior Coarda Fron | | | | | |
|-----------------------------|----------|---|---------|--|--|
| Q | DRMP16 | Monaco Premier Geared Reel - to 16' (4.88) wide | £945.00 | | |
| Q | DRMP21 | Monaco Premier Geared Reel - to 21' (6.40) wide | £980.00 | | |
| Q | DRMPK1 | Monaco Reel Locking Castor Pack | £104.50 | | |
| Q | DRMPK2 | Monaco Reel Anchor Bolts (no castors) | £40.95 | | |
| Q | DRMPK2/C | /C Monaco Reel Anchor Bolts (for systems with castors) £45.65 | | | |

Certikin Solex Solar Powered Roller



The Certikin Solex solar powered roller is specifically designed to be economical, flexible and simple, offering a convenient progression from a standard manual pool roller without the hardship of providing an electrical supply.

Fully self powered through a photovoltaic panel which steadily tops up (even on cloudy days) a fully contained dry-cell battery, the Solex roller can be installed on new and existing outdoor domestic pools and will accommodate solar blankets of up to 6 metres wide and 13 metres long. The sturdy anodised aluminium telescopic roller tube allows flexibility of size and the aluminium and PVC stands give strong impact resistant end supports.

Operation is by a simple switch mounted on one of the end stands, and the 12v in tube motor has adjustable limits in order that the positioning of the cover can be consistently accurate and automatic. The use of an Aquablade towing system is strongly recommended for covers using the Solex roller and the roller should be mounted over the end of the pool, not set back.

A photovoltaic (PV) cell is a device that converts light energy into electrical energy by the photovoltaic effect. The PV cell consists of one or two layers of a semi conducting material, usually silicon. When light shines on the cell it creates an electric field across the layers causing electricity to flow. The greater the intensity of the light, the greater the flow of electricity. The collection and conversion of solar energy is a completely pollution free renewable energy process.





Certikin Solex Solar Roller

Q DRSOL Certikin Solex solar roller

Price £2315.00

Features:

- Photovoltaic panel topping up
- 5.7amp battery
- No mains power or wiring required
- · Easy to install and operate
- 12v in-tube motor with adjustable start/stop limits
- Telescopic anodised aluminium 105mm/110mm diameter tube
- Suitable for solar covers up to 6m x 12m
- Supplied with cover to roller cords



Sunrise Pool Cover Reel System



The Sunrise provides an automated, enclosed, reel system with a powered lid to reveal the cover when operation is required. The housing of the Sunrise is a high strength bench unit, covered in attractive, UV stabilised WPC cladding.

Features

- · High quality enclosed bench system
- · Automated lid and reel
- · Remote control operation/manual controls to lid
- · Solar powered with mains back-up. No hard-wiring required
- Disengage reel release if required
- Heavy duty, pre-treated and powder coated, UV resistant aluminium frame
- UV resistant wood-plastic composite (WPC) cladding
- Modular system accommodates multiple pool sizes up to 5.8m (19') wide
- · Pre-wired for easy assemble
- · 2 year manufacturer guarantee

| Deck Mount System | | | | | | |
|-------------------|-------|---|----------|--|--|--|
| | | - 10.0 | Price | | | |
| Q | SRD26 | Deck-mounted for pools to 2.6m - housing 3.2m | £2313.00 | | | |
| Q | SRD34 | Deck-mounted for pools to 3.4m - housing 4.0m | £2713.00 | | | |
| Q | SRD42 | Deck-mounted for pools to 4.2m - housing 4.8m | £3046.00 | | | |
| Q | SRD50 | Deck-mounted for pools to 5.0m - housing 5.6m | £3447.00 | | | |
| Q | SRD58 | Deck-mounted for pools to 5.8m - housing 6.4m | £3780.00 | | | |
| | | | | | | |

| Acces | sories | | Price |
|-------|--------|--|--------|
| N 1 | 215 | Sunrise low voltage extension cable - 5m | £43 NN |

One of the unique features of the Sunrise is that it allows enclosed storage of the reel and cover. This means the use of a high quality bench housing system at the pool end. The housed cover and reel are also offered extra protection which will extend their lives. Designed for the tough Australian climate, the frame work and cladding of the Sunrise is highly durable, UV stable and resistant to fading. The lid of the Sunrise is powered by actuators at each end is supported by a counterbalance stainless steel spring within each extension module to make the lid weight neutral when open and hence eliminate sagging.

Sunrise is designed to be simple and effective. The pre-wired modular system extends unit by unit to reach a size nearest to the pool width. No hard wiring is required as the pre-mounted, heavily protected solar panel generates all the power required – and for those prolonged periods without sun a simple plug in low voltage mains charger is include. All connections are 'plug and screw' and couldn't be simpler.

Even the operation of the Sunrise is easy – buttons to lift and close the lid and power the cover on and off the pool are on the unit lid, or full control is offered by one of the two remote control fobs provided with each system. All the user needs to do is guide the cover onto the pool and observe it when it is removed.

The design of the Sunrise extends to cover almost any eventuality. In addition to most components being replaceable should they ever fail, the system is fully operable should there be an electrical failure. The actuators which power the lid can be released from outside the housing in order that the lid can be lifted manually and the reel can be disengaged from the motor in order that it can be turned with the hand-wheel pre fitted to the unit.

All metal fixings used are stainless steel and all electrical connections have a minimum IP65 rating. The Sunrise is CE approved.

The system is designed to be free draining so waters which are dragged off the pool by the cover will soon disperse.









FREE: 400 micron standard bubble cover plus factory fitted Aquablade with every Sunrise (or pay the difference to upgrade).



Extra carriage charge applies to the Sunrise Pool Cover Reel System - please contact Certikin North for more details.

Aquatronic Automatic Roller System

Aquatronic Automatic Roller System

The new style Aquatronic Remote roller now comes with a control package designed to offer ease of use, reliability and value for money.

Features include:

- · No hard wiring required, plugs directly into the mains.
- Trickle charge battery fitted to allow continuous supply in event of power disruption.
- Lock out on front of control panel to completely eliminate unwanted use.
- · Thermal cut out to protect motor and prolong life.
- · Easy to read and use LCD display.
- Operation from control panel or radio remote key fob, with remote key switch or push button option available.
- Full control instructions available in hard copy or electronic format.

Suggested maximum cover size is $112.5m^2$ with a length limit of 25m.

General Features:

- · Can be floor or wall (back or side) mounted.
- R60 80G 24V motor as standard with pre set limit switched to control start / stop position of cover.
- Covers secured directly to roller tube to keep square while operating.
- · UPVC housings to cover end support brackets

For ease of use we recommend that the cover is fitted with an Aquablade leading edge towing kit, which can be supplied factory fitted or for DIY fit (see page 202 for further details).

Cover to Roller Connection - Aquatronic

When ordering your commercial roller please consider how your cover should attach to the roller tube, straps should be avoided as these can allow larger covers to float off centre. We offer two alternatives for cover to roller connection.

- Extend the length of your cover to reach the roller- please specify the extra length required when ordering. If you are ordering both cover and roller from Certikin, we will prefit the cover to the roller to ensure a square cover operation and quicker installation on site. Please remember to price your larger cover accordingly. Particularly Suitable for shaped / oval covers.
- 2. Made to measure cover connection piece. We will manufacture a connection sheet to connect your existing or newly ordered cover to the roller. For indoor pools this will be a PVC sheet, for outdoor pools this will be a mesh sheet. This connection piece can be fitted to your roller at point of manufacture-a newly ordered, pool size, cover can then be fitted to it in our factory, or you can fit your own cover to it on site with the fixing toggles provided. Please specify distance of roller from pool edge when ordering. PVC and mesh can be supplied in blue or green.




| Aquatror | חור | ΚnI | lor |
|----------|-----|-----|-----|
| | | | |

| Q | ABCAQT11 | 7 Core motor control cable / metre | £12.00 |
|---|------------|---|----------|
| Q | AQTP101T-C | Additional remote fob | £140.00 |
| Q | AQT13 | Push button | £140.00 |
| Q | AQT7B | Keyswitch | £110.00 |
| Q | AQTR7 | Aquatronic remote roller up to 7.5 metres | £3682.50 |
| Q | AQTR5 | Aquatronic remote roller up to 5 metres | £3217.50 |
| | | | |

Cover To Roller Connection

| Q | CTRO | Outdoor mesh connection | £70.40 | £102.90 |
|---|------|-------------------------|----------|-----------------|
| Q | CTRI | Indoor PVC connection | £75.85 | £108.50 |
| | | | up to 5m | 5.1m up to 7.5m |

• To order, suffix the code with 5 or 7 to signify the size range required.





Carriage will be charged as extra - please seek a quotation before ordering.





Items that are made to measure, bespoke are non-returnable items.

FREE: 400 micron standard bubble cover plus factory fitted Aquablade with every Aquatronic (or pay the difference to upgrade).



Aquatronic Roller - Dual Purpose Bracket Motor & Non Motor End Support





Aquatronic Air Management Control.

The Certikin Aquatronic control panel includes a volt free status relay which can be connected to most indoor ducted air handling units. This enables the "set back" facility to be operated automatically, thus reducing the pool hall air temperature when the cover is in situ and hence offering potential savings in running costs. The air temperature set back point is normally preset in the air handling unit itself.

Please see page 182-183 for Certikin Variheat air handling units.

Aquatronic Automatic Roller System

Points to consider when ordering an Aquatronic Roller.

- The motor is pre-installed into the roll-up tube and is complete with a 15 metre long, 8mm diameter, 7 core YY control cable which feeds back to the main control panel.
- The cable can be extended using standard 10amp electrical connections, but the overall cable length should be limited to 30 metres. Please ask at the point of order or specify on the Aquatronic Roller order form if extra cable is required. Extensions of the cable is the responsibility of the installer.
- 3. The control panel includes an adjustable time delay function which allows time for the user to move from the control station (either key switch, push button or radio remote) to the pool side to begin guiding the cover. For the key switch and push button this time is adjustable up to 30 seconds, for the radio remote this is adjustable up to 5 seconds this should be considered when planning location of the control station.
- 4. The key switch is a 3 position 'stay-put' switch and is connected to the main control panel by a minimum 0.5mm² standard 3 core cable (not supplied). The push button is pre wired with a 15m signal cable.
- If ordered with a cover, the cover will be pre-secured to the roller and calibrated for basic start and stop position, but some fine tuning of calibration will be needed on site at point of installation.
- Covers are connected via a 6mm nylon rod fed through the back edge of the cover / connection piece. Please inform of distance from pool edge to final planned roller position at point of order.
- For pools with limited surrounding space, the motor mounting plate can be used as a wall mounting plate for both the motor and / or non-motor end of the roller.
- 8. Pricing is for roller only. Please price for cover connection piece and towing kit separately.
- The Aquatronic roller is a semi automatic product.
 Floating covers require a towing boom and manual guidance to manoeuvre them on and off the pool.
- 10. Bracket hook hinges are not included in this system.
- 11. Suitable for pools of up to 15m x 7.5m or covers up to 112.5m² where the maximum width is 7.5m.



Commercial Cover & Reel Systems

The need to reduce carbon emissions has become greater than ever with most looking for new ways to reduce their carbon footprint and minimise impact on climate change.

It is now widely accepted that installing a heat retention cover is the single most effective means of reducing swimming pool energy consumption. Fit the right cover on your pool and you will see a reduction in energy bills depending on the type of reel system you opt for, a payback period as short as 12 months can be expected.

It is not just the reduced energy bills that make for such a strong argument for covering your pool. The vast majority of heat loss is through evaporation and with a pool cover in place, evaporation is virtually eliminated. You will also benefit from reduced humidity and condensation in the pool building.



For pricing and details please contact the Commercial Team on 01993 777200 or email info@certikin.co.uk.





Motorised Reel Systems

Fully automated cover and reel systems are increasingly popular. The benefits of fast and efficient cover operations include time savings and reduced manual handling for poolside staff. For ease of use, the system can be operated via a key switch or remote control. Motorised systems include safety features and ultra quiet motors with soft start and stop electronics to prolong the life of the cover.

Light Commercial Motorised

- Ideal for small commercial swimming pools
- Ultra quiet motors with soft start soft stop mechanism
- Manufactured from stainless steel
- Maximum cover size 170 sq.m.
- 9m maximum standard tube length
- 168mm tube diameter
- Key switch and remote control
- Auto stop end of run settings





Leading Edge and Reinforcing

- · Foam filled and reinforced leading edge
- · Helps operation of heat retention covers and saves wear and tear
- Heat welded and fitted to cover
- · Recommended for all covers over 12m long
- · Includes all tow ropes and reinforced reel end



Mobile Reel System

This system is ideal for smaller commercial swimming pools and is similar to the Commercial Piggyback Reel but with one tube/axis.

It is manufactured using a 127mm (5") aluminium tube with nylon end bosses, high-grade polished stainless



Piggybank Mobile Reel System

The dual tubes allow one reel system to cover a pool almost twice its width with ease. This system has proved popular with schools and local authorities. The end stands are manufactured from a high-grade polished stainless steel. The 150mm (6") stainless steel braked castors allow the reel system to be repositioned for rolling covers on and off the pool. Simply attach the straps to the tube and roll the first cover onto the reel system. Move the reel across and repeat the process to remove the second cover. The reel system can then be removed from the pool edge and stored when not in use. A 6:1 reduction gearbox is advised for covers over 140 sq.m. per tube (1500 sq.ft).



Commercial Slatted Reel Systems

Ideal for larger swimming pools with lots of activity. The Commercial Slatted Reel System has a framework made from polished high-grade stainless steel with Rotproof structural styrene slats. It can be positioned using its 150mm (6") stainless steel castors or fixed to the deck close to the pool.


This reel system provides a solid, hardwearing and attractive surround for your cover and is available in sizes up to 10.4m (34') in length. The majority of reel systems up to 9.1m (30') are produced with a 127mm (5") diameter aluminium tube. Reel systems over this size are produced with a 152mm (6") or a 304mm (12") diameter stainless steel tube. A 6:1 reduction gearbox is fitted as standard for ease of use, alternatively, fixed systems can be motorised.



Fixed Manual

- Suitable for most smaller commercial pools
- Nylon end bosses and anodised tube
- Optional reduction gearbox
- Highly polished stainless steel end stands as standard
- · White powder coating available on request
- Approximate weight of each end stand including bearing is 10kg plus 2kg extra per 240mm run of tube






Commercial Benches

Commercial benches are individually constructed of polished 304 grade stainless steel and Rotproof structural styrene slats. They are built with a cantilevered front beam design to allow for access and storage underneath. Each unit is tailored-made to suit your pool.



Winter Debris Covers






| Cert | Certikin Winter Debris Covers | | | | | | | |
|------|-------------------------------|------------|--------------|--------------------|--|--|--|--|
| | Pool Size | Cover Size | Maple WDM | Criss Cross WDX | | | | |
| N | Per m2 | Per m2 | £15.39 | £18.64 | | | | |
| N | Per ft2 | Per ft2 | £1.43 | £1.73 | | | | |
| Exa | imples Pool Size | Cover Size | Maple WDM | Criss Cross WDX | | | | |
| N | 24 x 12 | 26 x 14 | £521.22 | £631.24 | | | | |
| N | 28 x 14 | 30 x 16 | £687.32 | £832.40 | | | | |
| N | 30 x 15 | 32 x 17 | £778.96 | £943.39 | | | | |
| N | 32 x 16 | 34 x 18 | £876.33 | £1061.31 | | | | |
| N | 36 x 18 | 38 x 20 | £1088.26 | £1317.97 | | | | |
| N | 40 x 20 | 42 x 22 | £1323.09 | £1602.37 | | | | |





Tan WDC C/O Safe-T-First, Cyprus



Winter Debris Covers

- Certikin winter debris covers are manufactured to the highest standards using the finest grade woven polyethylene.
- They are available in an attractive forest green, blue, tan or grey.
- Covers should be ordered to allow for a 300mm (1') overlap around the full perimeter. When ordering please add 600mm (2') to each dimension.
- · Covers are invoiced in metric to the actual Sq/metre finished size.
- Supplied in box and with storage bag.
- Freeform covers are made to the dimensions and drawings supplied at the time of order and will be charged using the largest measurements of the pool.
- Extra large covers of 100m² or more can only be manufactured in the Maple style and a 25% surcharge will be applied.
- Closer strap spacing or straps longer than 1m carry a 12.5% surcharge.

Ordering Winter Debris Cover

- When ordering please suffix code with G, B, T or GY to indicate colour required.
- The above prices are for square and rectangular covers.
 For shaped pools add an extra 15% to the above.
- Maple Made from woven polyethylene with reinforced corners, anti-chaffing strips and stainless steel fixings at approximately 1.2-1.6m centres.
- Criss Cross As for the Maple but with webbing straps stitched across the full length and width of the cover for extra strength.
- For extra protection against wear, a tough PVC skirt can be added to any cover. See page 213 for pricing.

At point of order please specify if dimensions given are pool or cover size.

Please Note: In the Spring and Summer months, Winter Covers will be batch produced as opposed to On Demand - Please contact us as delivery at this time of year is sensitive.

Winter Debris Covers




Winter Debris Cover - Automated Design & Cutting

Certikin North's manufacturing equipment and software capabilities have allowed the division to expand for both the designing and cutting of the Winter Debris Covers. The software is used to convert the supplied dimensions into a cutting pattern for a cover which includes all necessary overlaps and seam, as well as pre-marked strap positioning. The ability to visualise and position straps at the design stage allows for a more accurate strap placement, thus generating better tensioning of the cover all around. Incorporating steps, ladder or rail cut outs is easily achieved and we are able to create free-form shapes from supplied dimensions to suit any shaped pool. With the exception of covers created from a supplied template, all new Winter Derbris Covers are now manufactured using this new automated system.



Grey WDC with ladder cut-out. Image courtesy of Safe-T-First, Cyprus



| Opt | ional Extras | 3 | Maple | Criss Cross |
|-----|--------------|--|---------|----------------|
| N | WDRE4 | 4' radius roman end | £123.10 | £136.65 |
| N | WDRE5 | 5' radius roman end | £159.20 | £173.80 |
| N | WDRE6 | 6' radius roman end | £196.20 | £213.15 |
| N | WDSS | Small walk-in-step (max 3.25m²) | £116.85 | £124.15 |
| N | WDLS | Large walk-in-step (per sqm) | £30.95 | £37.05 |
| N | WDPVC | PVC protective under skirt (per m) | £8.40 | £8.40 |
| N | WDHR | Hand rail slits (per pair) | £82.00 | £82.00 |
| N | WDRAIL | Single hand rail cut out (per m) | £12.20 | £12.20 |
| N | WDRC | Replacement cover (per sqm) no fixings | £14.50 | £17.85 |
| | | | | |

Please suffix code with either M, X or C to indicate style and then G, B, T or GY to indicate colour

| Above Ground | | | | | |
|--------------|-----------|--|--------|--|--|
| Λυυ | ve urouru | | Price | | |
| N | WDEG/AG | Above ground debris cover - green - per M^2 | £16.20 | | |
| N | WDEB/AG | Above ground debris cover - blue - per M ² | £16.20 | | |
| N | WDET/AG | Above ground debris cover - tan - per $M^{\scriptscriptstyle 2}$ | £16.20 | | |
| N | WDEGY/AG | Above ground debris cover - grey - per M ² | £16.20 | | |
| N | WDHR | Handrail slits - per pair | £82.00 | | |

Above Ground Pools

Certikin Above Ground Winter covers are ideal for timber pools. Covers are manufactured from the same materials as standard debris covers and can be made to almost any size and shape; ladder entry points can also be included. Our standard design allows the cover to fold 50mm over the edge of the timber frame, but other preferences of sizing can be accommodated if specified at point of order. The perimeter of the cover incorporates a tough 25mm webbing through which eyelets are secured. For each eyelet an elasticated ball loop and stainless steel hook is provided (see image) to allow the cover to be tensioned and secured over the pool. (basic fixing screws are provided for each hook, but screws may not be suitable for all pools). Available in all colours.

| Low Profile Decking Fittings | | | | |
|------------------------------|--|--|--|--|
| WDMG/DE | Maple debris cover - green - deck fitting - per m2 | £18.70 | | |
| WDMB/DE | Maple debris cover - blue - deck fitting - per m2 | £18.70 | | |
| WDMT/DE | Maple debris cover - tan - deck fitting - per m2 | £18.70 | | |
| WDMGY/DE | Maple debris cover - grey - deck fitting - per m2 | £18.70 | | |
| WDHR | Handrail slits - per pair | £82.00 | | |
| | WDMG/DE WDMB/DE WDMT/DE WDMGY/DE | WDMG/DE Maple debris cover - green - deck fitting - per m2 WDMB/DE Maple debris cover - blue - deck fitting - per m2 WDMT/DE Maple debris cover - tan - deck fitting - per m2 WDMGY/DE Maple debris cover - grey - deck fitting - per m2 | | |

Low Profile Deck Fitting

Manufactured as per the Maple debris cover, but supplied with a fitting suitable to secure into a timber decking surround. The low profile brass fittings are sunk and secured into the timber deck and the screw fixings are hidden by a cover plate. The central anchor point is raised and lowered by means of an allen key so when not in use it sits flush with the top of the fitting. Heavy duty stainless steel springs allow for secure tensioning of the cover, but, combined with the brass deck fitting, offer a lower profile that the traditional spring and pin. Available in all colours.

Certikin are happy to undertake repairs on an existing winter cover, however, priority will be given to new cover business during September and October - therefore we are unable to repair any covers during this time.

Please return covers for repair before 1st August.

- In advance of making any returns please obtain a reference number.
- Springs and other fixings should be removed before returning the cover.
- · We reserve the right to refuse work on any cover deemed to be un-hygienic
- Repair work which will cost less than £100 including transportation will be undertaken without consultation. For larger jobs a full quote will be supplied for authorisation.

Walu Deck - Mobile Safety Deck



The new Walu Deck is both a timber deck and a safety cover, but most of all it is a space optimiser. Suitable for year round use, the Walu Deck can be used as a play area, a place to relax or outdoor dining area over the pool, and when the pool is needed the Deck easily rolls open and becomes surround decking to the pool.

As a modular system, the Walu Deck can be installed on most domestic pool shapes and sizes, so long as sufficient firm, level ground is available around the pool. The system is based around an aluminium frame which rolls along tracks on rollers with stainless steel needle bearings. The Deck closes completely and is entirely rigid with modules which roll together, fasten with a quick acting mechanism and then lock against the track. It needs no electrical connections and is easy and quick to install – all required fixings and timbers are supplied, the Deck is finished in an attractive, hard wearing high quality timber.

Walu Deck Features

- Makes the most of your space around and over your pool
- · Attractive and durable hard wood
- · Suitable for existing or new build pools
- Complies with safety standard NF P 90-308
- Easy to install no electrical connections
- · Suitable for almost any shape of pool
- Prevents evaporation and heat loss
- Slows down the development of algae
- Integral PVC membrane helps keep pool clean
- Quick and easy operation
- · Can be supplied with or without timber




| Walu Dec | , |
|----------|---|

| ••• | L | 70011 | Price |
|-----|---|---|------------|
| Н | - | Example price Walu Deck 8m x 4m pool size – NO TIMBER | £14,995.00 |
| Н | - | Example price Walu Deck 8m x 4m pool size – FULL TIMBER | £21,800.00 |
| | | | |

Prices can be arranged on asking and will vary on pool specifics. Example pricing as follows;

BASED ON A POOL SIZE OF 8m \times 4m WITH A DECK SIZE OF 9m \times 5m







High quality solid timber





Simple and secure - quick release fastening






Brake with rubber pad and guide wheel



Manual locking mechanism







Brushes to perimeter to reduce debris entry



Protective integral membrane

Technical Features

- · Aluminium modular frame running on rollers with stainless steel needle bearings - bearing capacity up to 150kg/m3
- Overall module height adjustable between 21 and 25cm
- Smallest pool size which can be covered 5.00m x 2.50m (deck size 6.00m x 3.50m)
- Largest pool size which can be covered 12.00m x 5.00m (deck size 13.00m x 6.00m)
- Tracks can be installed on length side or width side of pool, but sizing restrictions apply if installing to width side
- Deck modules can be a mix of 2.00m and 1.00m sizes to create the most suitable size for the pool
- · Deck can be positioned so it splits around the pool, or slides in full from one side of the pool

Essentials:

- Maximum pool size which can be covered is 12m x 5m
- The ground onto which the Walu Deck tracks are to be secured MUST be SOLID, LEVEL and NON-MOBILE
- · Only suitable for in-ground pools
- Module increments are in 0.5m on the width and 1.0m or 2.0m on the length. The Deck will overlap the pool by a minimum of 0.5m in all areas.
- The Walu Deck IS NOT custom made to an exact size to suit a particular pool - the nearest size UP will be provided.
- · Systems supplied to order delivery time is approximately 6 weeks.

Please ask to view installation instructions before ordering





Items that are made to measure, bespoke are non-returnable items.



Carriage will be charged as extra please seek a quotation before ordering.

Walu Evolution Manual Safety Cover

For Shaped and Rectangular Pools

The Walu Manual Safety cover, exclusive to Certikin in the UK, is firmly established as the finest bar supported safety cover on the market. Manufactured to French standard NF P 90-308. the Walu has a maximum load capacity of 100kg (approx. 15.5 stone / 220lbs) and is extremely easy to both install and operate.

All systems benefit from:

- Exclusive patented design allows individual components to be replaced on site if required
- · Adjustable and locking anchor strap positions allowing for the most effective fixing point
- · Reinforced flexible composite fabric panels with anti-abrasion treatment
- · Half-round anodised aluminium support poles
- · Stainless steel fixings throughout
- Complete with crank handle can be operated from either side - extra cranks available for two person operation
- · Shaping for step sections and ladders available
- · Range of fabrics in both solid and semi-translucent (solar gain) colours
- · All round cover eliminates the need for a summer cover, winter cover and reel system



Walu Evolution - For Shaped Pools & Rectangular Pools

Price

£81.85

£74.25

Up to 11m x 5m - Opaque (36' x 16' approx) - per metre² Up to 11m x 5m - Translucent (36' x 16' approx) - per metre²

Surcharge for shaped covers of 20% applies.

Covers for pools smaller than 19m² at surface area (excluding steps) will face a flat surcharge of £196.00









Carriage will be charged as extra please seek a quotation before





NEW - Quick release system as standard with Evolution models











Removable Anti-lift kit







Walu Starlight Manual Safety Cover



100% Modular - the only swimming pool cover with bars and panels that can be replaced individually on site.

Refined Performance For Rectangular Pools

Walu Starlight is an enhanced and refined version of the popular Evolution model. The support poles for the Starlight are inversed so the half-round suspends beneath the cover giving a more aesthetically pleasing look to the visible cover surface. The end of the support poles are formed with flattened profiles which allows for a closer and flatter fit to the coping stones.

The main benefit of these features however is that the inversed poles mean that the cover is easier to handle, with both the winding and un-winding being smoother operations.

Walu Starlight is designed for use on rectangular pools only (with or without steps and ladders) so the inversed support bars can sit neatly between the coping stones and as such coping to coping measurements must be supplied when ordering.



Covers for pools smaller than 19m2 at surface area (excluding steps) will face a flat surcharge of £196.00





approx) - per metre²

















NEW - Quick release system as standard with Starlight models





Starlight Colours






Items that are made to measure bespoke are non-returnable items.



Carriage will be charged as extra please seek a quotation before ordering.





Suitable for in-ground pools



Suitable for aboveground pools



MAX Maximum pool size (excluding steps)



Ladder cutouts possible (extra charge) - width only



Cover overlap from pool edge (add all round to pool for pricing)



Sten section at end of cover possible (extra charge)



Step section on side cover possible (extra charge)

* Shaped Walu cover carry a 15% surcharge - this is added to the largest dimensions of the cover

Walu Eco Manual Safety Cover & Woodstar Above Ground Wooden Pool Cover

Walu Eco offers many of the advantages of the Evolution and Starlight (including the patented modular design function), but at a fraction of the cost. This lighter weight cover still complies to French standard NF P 90-308 and hence meets all the requirements of a manual safety cover, but benefits from a more simplistic design and lighter weight, albeit equally tough, fabric.

Manufactured to suit almost any shape of pool, the Eco is an all-rounder. For shaped pools the cover retains a rectangular shape but has protective 'shoes' provided which will defend the cover against wear at the critical shaped points.

The Eco comes complete with a winding crank handle but is also compatible with the Walu Cool motorised winding mechanism (see page 219).







Carriage will be charged as extra - please seek a quotation before ordering.

A sister product to the successful Walu Evolution, the Woodstar is specifically designed to offer the same level of safety and simplicity for above ground pools. Secured with stainless steel ratchets and pre-angled brackets, the Woodstar is easy to install and operate.

The Woodstar removes the need for any other cover or reel system on your above ground pool and can be made to a perfect width, with cut-outs for ladder entry points, filtration systems and counter-current systems all possible.

The pool surround must be at least 50cm above ground level for operation and any cut outs can only be to one central end of the pool.



ltems that are made to measure, bespoke are non-returnable items.



charged as extra - please seek a quotation before ordering. Walu Eco - an uncompromised cover at an economical price



Walu Eco - For Shaped & Rectangular Pools

Price

Q - Cover - up to 10m x 5m (33' x 16' approximately) - per m2 £61.95

The quick fastening system is an optional extra for the Walu Eco - please see page 219 for details.

Covers for pools smaller than 19m² at surface area (excluding steps) will face a flat surcharge of £196.00













Walu Woodstar - Designed for above ground wooden pools









Walu Woodstar Cover For Above Ground Pools

 Covers for pools smaller than 19m² at surface area (excluding steps) will face a flat surcharge of £196.00













Walu Manual Safety Cover - Additions & Extras



| ^ | · · | o . | • | |
|--------|-------------|----------|------------|---------------|
| l'ovor | Unoration. | Untione | H I | Accessories . |
| GUVEL | OURIAIIUII: | OHIIIIII | (1 / | 40062200162 |

| LU\ | cover operation: options & Accessories | | | | | |
|-----|--|--|---------|--|--|--|
| Q | WALSP02 | Walu cover 4:1 crank - upto 11m x 5.5m | £375.00 | | | |
| Q | WALSP16UK | Walu-cool motorised system - pools up to 11 x $5.5m$ | £960.00 | | | |
| Q | WALSP26 | Walu winch - unwinding system | £405.00 | | | |
| Q | WALSP28UK | Walu Power Remote Motorised System - Pools up to 11m x 5.5m | £960.00 | | | |
| | | | | | | |

Whilst the Walu cover is designed to be a fully functional manual safety cover, motorised assistance is available. The Walu Cool winding system is a low level, high torque system which sits neatly at floor level after being connected to the receiving bar of the Walu Cover (in-ground systems only). A flexi-cord drive control extends from the base unit so the operator simply walks along the side of the pool as the system manoeuvers the cover off the pool. An integral carry handle and control storage compartment allow the Walu-Cool to be removed from the pool side easily when not in use. The Walu-Cool is fully rechargeable and requires no maintenance. Suitable for use with covers on pools up to 11m x 5.5m

The Walu Winch is a deck mounted system which, when combined with a Walu Cool, allows the user to also motorise the closing operation of the cover. Mount the removable Winch on to the pool deck, feed the cover pulling strap through and use the Walu Cool (sold separately) to pull the cover into the pool.





| 0 | luic | k R | ele | ase | Sı | ysten | ۱ |
|---|------|-----|-----|-----|----|-------------------|---|
| _ | Luio | | 0.0 | uoo | - | , , , , , , , , , | ĕ |

| Q | WALSP19 | Walu quick release kit - no ladder / steps | £216.35 |
|---|---------|--|---------|
| Q | WALSP20 | Walu quick release kit - with ladder / steps | £263.15 |

The new Walu quick release system makes operating any Walu cover easier and quicker than before by allowing the tensioning ratchets to be just loosened as opposed to being fully released and unfastened. The quick release system comes as standard with all new Evolution and Starlight systems and can be added to the price of a Walu Eco or Woodstar. The quick release system can also be applied as a retro-fit to an existing Walu cover





| Step Sections | Я | Ladders | Cut | Outs |
|---------------|---|---------|-----|------|
|---------------|---|---------|-----|------|

| | | Price | |
|---|---|---|---------|
| Q | - | Step section (square or radius step) - per m2 | POA |
| Q | - | Support bar for step section on length of cover | £68.95 |
| Q | - | Ladder cut outs - pool ends only | £196.45 |
| Q | - | Shaping surcharge for freeform pools | 20% |

The Walu Safety Cover can be manufactured to suit almost any pool. Incorporating step sections and roman ends is no problem and they are priced in proportion to the size required. Steps in the traditional positions along the width of the pool are covered by a section attached to the main cover. Steps affixed down the length of the pool require a separate section plus a support bar to make the section safe and allow the main cover to travel over the opening of the step.

Ladder cut outs are tensioned all the way around the rail slits to ensure the safety of the cover is not compromised.

Shaped and freeform pools can also be covered with the Walu Evolution – details measurements must be supplied and a shaping surcharge applies.

Walu Air - Inflatable Winter Safety Cover

The ingenious Walu Air is both a winter debris cover and a safety cover. Conforming to standard NF P 90-308 the Walu Air effectively creates an inflated pillow which 'plugs' the shape of the pool, ensuring that debris cannot get under the cover into the pool and, due to its unique convex shape, ensuring that rain and impurities flow to the pool side thus keeping the pool water clean and clear.

The solid PVC manufacture of the cover, combined with its shape, also means that the pool is sealed from accidental entry by people and animals – you can't get under it, you can't get on top of it!

Available in a range of colours, the Walu Air is manufactured from a heavy duty 650g/m^2 opaque PVC which is fully welded as opposed to stitched. The cover overlaps the pool by 40cm all around and is secured by traditional spring, pin and strap fixings.

The cover inflates by means of a mains voltage inflator (supplied as an extra) and it is recommended that for covers on pool over 8m x 4m handling straps are purchased to ease application and removal – please see the pricing below.

Covers smaller than 20m2 in size carry a 10% surcharge.

Features:

- Unique design offers safety and keeps the pool clean
- Heavy duty (650g/m²) welded PVC
- · Available in 5 colour options
- Opaque colouring restricts UV entry and reduces algae growth
- Suitable for pools up to 11.5m x 5m
- · Steps on end of pool can be covered
- Cut out options for ladders and counter current available
 (outra cost)
- Average cover weight 1200g/m²
- · Not suitable for freeform pools









| Wal | u Air | | Price |
|-----|-------|--|--------|
| Q | - | Walu Air Inflatable Winter Cover - per m2 | £37.45 |
| n | | Walu Air Inflatable Winter Cover - ner ft2 | f3 48 |

| Exa | £1355.86 | £1772.84 | £2002.23 | £2245.53 |
|------|----------------|----------------|----------------|----------------|
| mple | 26'4" x 14' 4" | 30'4" x 16' 4" | 32'4" x 17' 4" | 34'4" x 18' 4" |
| | 24' x 12' | 28' x 14' | 30' x 15' | 32' x 16' |





| Walu Air Accessories | | | Price |
|----------------------|---------|--|---------|
| Q | WALAAP1 | Walu Air Inflatable Pump | £230.35 |
| Q | WALASS1 | Walu Air Installation Support Strap - Each | £133.35 |



Coverstar Automatic Safety Covers

Based in Utah, USA, Coverstar are the key manufacturer of automatic safety covers today. Their cover system has developed through many years of innovative design, precision engineering and quality production.

Seal in the good, keep out the bad and have more time to enjoy your pool! Coverstar prevents the bad stuff like leaves, dirt and debris from getting into your pool whilst keeping the good stuff - heat, water and chemicals from getting out. Can save up to 70% on heating and chemical costs. With less time to worry about maintenance, upkeep, keeping the right chemical and heat levels and safety you'll have more time to relax and enjoy your swimming pool.



Available in a wide range of colours.







Items that are made to measure, bespoke are non-returnable items.



Photograph used with kind permission of Campbell Pools



Photograph used with kind permission of Aqualeaf Pools



Photograph used with kind permission of Bluewater Pools



Photograph used with kind permission of Falcon Pools

Coverstar Automatic Safety Covers

Safety:

Safety is naturally a concern for those buying a pool, which is where Certkin's Coverstar comes into its own as it is one of the best covers on the market place. It is more than capable of supporting children, pets and even adults, should they accidentally walk on it. But it also has other huge advantages over competitor's products.

Mechanical Benefits:

The Coverstar system is based on strength. For example, the sliders, which are traditionally the weakest part of a cover system, are more than four times as strong as any other slider used in the industry.

Coverstar's exclusive heavy-duty double row sealed stainless steel ball bearing pulleys have almost triple the load bearing capacity of single row pulleys used by other companies.

Coverstar now include the Powerflex rope. This behaves like a shock absorber and allows it to be more forgiving and self adjusting during operation.

No sheer pins or bolts are used in the Coverstar drive train, instead the system operates with keyways to provide maximum reliability. Within the drive train, Coverstar's exclusive Positive Shift Gear system completely disengages one gear before shifting to the other.

Unlike other systems, it cannot double engage causing the system to try to run in both directions at the same time, causing gears to wear and slip. To top it all, the surrounding and connected heavy-duty frameworks and brackets are fully expandable, ensuring the most solid fixing and eliminating bent and/or broken brackets. Once the system is locked into place, it cannot move around.

Fabric Benefits:

All of this would be worthless without a good quality fabric to cover the pool. Rather than use the industry standard vinyl's, popular with other cover manufacturers, Coverstar supply the far superior Ultragard III vinyl composite in a range of colours. Ultragard III offers the best solution available to problems posed in safely covering a pool in current harsh environments.

For those times when we do get sunny periods, you can be assured that the high level of UV resistance offered will reduce the level of colour fading considerably as compared to standard vinyl. Under test conditions, Ultragard III has been exposed to the equivalent of approximately four years of Florida sun and fading was shown to be negligible. This fabric also offers high resistance to chlorine, acid, ozone and other pool chemicals.

Exclusively, Coverstar Ultragard III comes complete with 7 year pro-rata warranty and colour matched, heat sealed webbing. Not only does this provide an aesthetically pleasing finish to the cover but eliminates the risk of premature failure caused by degraded stitching.

The optional low profile leading edge will complete the aesthetic apperance.

Coverstar is suitable for both deck mount and pit mounted installations and come with a choice of housing and end covers (for deck mounting) and a selection of pit coverings for pit mounted installations including heavy duty trays for copings, a new flat lid plus composite decking.







Photograph used with kind permission of Falcon Pools



Photographs used with kind permission of Isca Pools Ltd



Photograph used with kind permission of Lifestyle Pools



Photograph used with kind permission of Mosaic Pools

Pool Cover

Replacement Cover Fabric



What better way to refresh a pool, than to renew the cover fabric.

The Coverstar fabric is far superior than the industry standard vinyl. Made from Ultraguard III Vinyl Composite.

Exclusively each Coverstar Ultraguard III cover comes with colour matched heat sealed webbing. Not only does this provide an aesthetically pleasing finish, but also eliminates the risk of premature failure caused by degraded stitching.

The Coverstar fabric will suit most safety cover systems - please call the Autocovers department to check suitability.







Roldeck Automatic Pool Cover - the original since 1973

The Roldeck automatic pool cover is available for domestic and commercial pools, indoor or outdoor and is versatile in the applications it offers.

They are the ultimate in:-

- · Heat insulation.
- · Evaporation control.
- · Durability.
- · Aesthetic appearance.

The Roldeck cover is manufactured in interlocking sections similar to a venetian blind. Each section simulates the double glazing system, with 0.5" of interspace combining the highest degree of insulation with evaporation control.

The standard white sections are popular for indoor pools. On outdoor pools the optional solar sections, with black bases promote high solar heat transfer.

A distinct advantage of Roldeck is that the rain water will pass through the cover, and will not collect on top requiring removal by pump.

The roller is powered by a 24 volt motor, with remote operation from a touch screen control with built-in safety lock feature.

All Roldeck covers are individually manufactured specifically for your pool requirements.

Roldeck Features

- Optional safety straps are available to allow the Roldeck to comply with French Safety Standard NFP90-308
- · Reduces evaporation and heat loss
- Enhances the safety of your pool safety lock available
- · Minimises pool debris
- · Concealed stainless steel motor driven spindle
- PVC, Polycarbonate & Foam filled slats available
- · Made to measure
- Optional in-roller motor unit

Roldeck Accessories, including Scale Off Concentrated, Degreaser concentrated and Roldeck slat cleaner are available on page 285.



Photo used with kind permission by Elm Leisure



















In Roller Motor System

- No separate motor pit required
- High pressure motor vessel filled with nitrogen
- Built-in pressure sensor
- Formula 1 shock absorber seal technology
- Larger unit available for covers up to 8 x 20 metres
- Simple electronic calibration Standard for covers up to 12 x 6 metres
- Motor is fully serviceable
- Simple to exchange motor unit
- Simple installation for existing pools
- No risk of flooded motors

Don't Forget we offer installation by our factory trained engineers for Roldeck and Coverstar covers.

Call 01993 778855 for more details.



Roldeck Easy Cover -Electronic Powered Pool Cover





The Roldeck Easy Cover is an Above Ground pool cover system that is an ideal solution if space around your pool is limited. The two end stands are slim and discreet which creates an attractive and tidy finish.

Suitable for pools up to $12m \times 6m$, the Roldeck Easy Cover is fully automatic and is calibrated to suit your specific pool. It is available with a wide variety of slats and of course is manufactured with all the high quality components that you would expect from a traditional Roldeck cover.

It is easy to operate - simply turn the key which is positioned on one of the slim side consoles to open and close the cover. For added safety, when the pool is not in use, the key can be removed.

- Easy to fit on new and existing pools
- Easy Installation
- Easy Operation

Easy Cover is very competitively priced, in fact it makes a nice little add-on to any new or existing project.









Roldeck Easy Cover Solar Powered Pool Cover









Roldeck Easy Cover - Solar Powered

The Starline Roldeck EasyCover is an above ground pool cover system equipped with a solar panel to gain from free and eco-friendly solar power.

Because of this independent solar power source, no additional power cables are required. This allows the Roldeck EasyCover to be installed effortlessly for both new and existing pools.

The EasyCover has a programming function like any other Roldeck, meaning that the end positions of the cover can be programmed and will run with one touch on the waterproof controls on the side console.

For extra safety, a key switch has been integrated on this console. The Roldeck EasyCover has great battery capacity and will therefore run 20x the full programme without any solar energy charging (based on a slatted cover of $10m \times 5m$). Should the battery run empty, the EasyCover has an integrated connection for the (optional) battery charger on the side console.

Features

- Powered by solar energy no need for extra cables.
- · Suitable for new and exisiting pools and very easy to install.
- Equipped with a programme function programme the unit once and it runs with just one touch of a button.
- Includes a key switch for safely disabling any unwanted operation of the Easy Cover.
- Large battery capacity.
- Charging option on the console.



Replacement Slats

Suitable for all types of slatted covers





The perfect way to rejuvinate a pool is to renew the cover slats. Roldeck slats will fit most slatted cover systems and create the perfect look to any indoor or outdoor pool.

The slats are available in a variety of colours and are made to measure at the factory.



PVC50 - PVC slats have a 5 year pro-rata warranty Available in 6 colours: white, cream, grey, blue, transparent and solar.

The transparent are ideal for showing off under water

The solar slats are an economical way to help heat your pool.



PC60 - Polycarbonate slats have a 5 year pro-rata warranty. Available in three colours: solar aluminium, solar and crystal clear.

Please call the Auto Covers Department at Certikin to check suitability.







PVC50 - cream

PVC50 - grey

PVC50 - transparent




PVC50 - solar











PC60 Solar + Alu-look

PC60 Solar



PC60 Transparent

Moving Floors





Since 1974 Tieleman have been designing, manufacturing and installing movable floors across Northern Europe.

The safety and quality of the floors are of paramount importance and all of the floors and components are guaranteed and approved to European standards.

A movable floors turns your pool into a multi-functional space in your home environment. While the floor is in a submerged position the pool can be used at any depth for your swimming needs. When raised to the surface the pool is out of sight allowing the deck to be used as extra floor space for entertaining.

Options

The technology enables use of a wide range of materials. Examples are stone, ceramic, stainless steel and polymer.

Key Benefits

- More space, allows you to use the space for swimming and a multi-functional floor area.
- Savings in the upright position the floor will reduce heat loss and evaporation.
- Safety In the upright position the floor is locked in place making a barrier between the pool hall and water.
- Unique design Every floor is designed and manufactured in-house making the perfect floor for your pool.
- Technology The pool floor is driven by water only so no chance of contamination with oil or anything else.
- Low maintenance The floors have minimal moving parts to minimise maintenance.

Specifications

- · Infinitely adjustable floor height
- · High quality materials
- · Various flooring finishes
- · User-friendly touchscreen control panel
- 316L stainless steel components
- · Water hydraulic driven
- · Speed: up to 0.5 m/min





Please contact the Commercial Team for more information on the moving floors. Tel: 01993 777200

Tieleman Moving Floors







Key Benefits

- Totally adjustable every floor can be adjusted to any height at 1cm intervals
- Dividing Walls We can create two pools from one with divinding walls
- Commercial & Domestic We can supply floors for Commercial or Domestic pools
- Walk In Steps Steps can be integrated into the floors.
- Full Service Offered We offer the full service from design right through to installation.

Specifications

- Floors can slope
- Height adjustable to 1cm
- Optional digital depth display
- Full installation service offered
- · Suitable for skimmer and overflow pools

Please contact us for more information on the moving floors. Tel: 01993 777200









