

231-246 Pool Liners

200

## Certikin Infinite On Site Lining System

#### **Infinite On-Site Lining**


Certikin's Infinite On-Site Lining service continues to go from strength to strength, both in terms of level of service and installation ability to the depth of quality in the materials we use.

Now firmly established in this market, Certikin's ability to install a liner into almost any pool and any environment speaks for itself, with a very wide variety of installations successfully completed, from basic balance tanks, to standard and complex domestic pools through to full commercial size installations.

Our material range continues to advance and is of the highest quality. Our supply partners are some of the finest PVC manufacturers in the world and continue to excel themselves in terms of development and quality standards. All materials sourced are certified for use in domestic and commercial applications, being KSW and CE certified – they meet all current European requirements for swimming pool installation – and in particular, all of our anti-slip membranes, plain colour or printed, are manufactured to DIN EN 51097 Cat C standards.

#### **Product Features:**

- · Installed by Certikin
- 15 year pro-rata guarantee
- Fully certified materials suitable for any installation.
- High quality printing with a multiple lacquered protective surface – offering the highest stain, discolouration and abrasion resistance.
- UV Stabilised acceleration chamber tested.
- Ideal for both new and re-furbished pools (including concrete, cement render, steel, aluminium, timber and fibreglass) – note: fittings must be liner fittings.
- 1.5mm or 1.6mm PVC with polyester internal mesh.
- Anti-slip PVC for steps and walk in slopes.
- Anti-microbially equipped.
- Tear resistant.
- Installed with 50mm overlap seams sealed with colour co-ordinated or translucent liquid PVC.
- Anchor points made with stainless steel expanding drive rivets.
- Can be hung from standard liner-lock or from specifically installed metal profile.
- Geo-textile underlay available and recommended.
- · Easily repairable if damaged.
- · Suitable for domestic and commercial applications.






Cyrus sand with white anti-slip. Image courtesy of J B Elite.



French Mosaic with matching anti-slip. Image courtesy of J B Elite.



Cyrus blue with matching anti-slip & white definition.

Do It Yourself? - If you have the skills to install yourself, contact Certikin for pricing and vinyl and accessories.

232 Pool Liner

	101	62	
French Mos	saic		

	214				100	
-		<u> </u>	 _	-		
	1	1.0	100		100	
			ALC: NO			

	. D.,	des.			
-		-	111		
			5		
	1.44				
-	-			-	

Royal Mosaic

1.9	-	SYS.	-	(Second	1.2	1992	F	-	10.00	5
	P	Ē,		<b>1</b>	2	3	1	12	E.z	I
语	N.	N.	透		1		3		N	i.
-	Jô		1	3			P.a	28		100
-	橋	1	T.	-	1	2	1	1	1	1
12	101									


Cyrus Sand

	14	1		J
			-	


Cyrus Blue

	COM	Lange	1000	2020	19805	54.83	69460	3000	-
ļ	1			20		20		Cal.	82
							Case:	1	
Ē	224	200	20	1					
		题	15					1	
B	8								

Cyrus Grey




Oceanstone (WSL)



Blue Marble

1	滷		1			
	1			66	鶅	
	100					
38		800			嚻	
100						U.

Silver Black Tile



Blue Tile

	8 23 23		18 S S S
		18 S	
			(1) THE
5 60 8	0.03		

French Mosaic Anti-Slip

Royal Mosaic Anti-Slip

	ľ s	25		5%	<b>3</b>		R	な湯	1
200	1	家		1	-	魏	1	100	
		影		K.	張	-	2	-	1
	100			1	8		1	题	ľ.
1 HAVE	-		24	63			-	1	20

Cyrus Sand Anti-Slip

	Ц		
	1		

Cyrus Blue Anti-Slip

	1				
	圖!	<b>R</b>			
	88			51	
			18 Z	8	

Cyrus Grey Anti-Slip

1.5	100	21.24		
100		A	1.0	1
Pre-sta	1.1.1		99.94	
	and a	N. 65	10	
1	18× 16		BA: 3	1.1.1
Here	1. P 6 10	1.1		
20.0	A Park		No al	$\mathcal{X}_{n}$

Oceanstone Anti-Slip (WSL)

		- 20 B		
35	1.0			
			THE R.	ALC: NOT

Crystal Mosaic

1000000000		
	Rent Link Links	
15 221		
	· 100	244

Grey Tile



#### Pattern Options For Infinite On-Site Lining

Patterned vinyl gives a fantastic refreshing effect to the pool. Our wide range of designs covers traditional and contemporary tastes meaning there is something for all. Patterned product can be used to create an all over effect or can be combined with plain colours to create contrast. Our French Mosaic vinyl is available with a matching anti-slip of the same pattern for steps, ledges, slopes and safety areas, otherwise a complementary plain anti-slip can be used to highlight step treads and other areas.

Consideration should be given to which pattern is chosen. Regular repeat patterns such as mosaics create a high impact look, but are not always suitable for curved or awkward shaped pools where the run of tiles can conflict. Random patterns such as marbles and broken mosaics create an all over moving water effect when filled.

#### **Touch Range (Special Order)**

The Touch range of vinyl has been designed to offer a simulation of a variety of natural stone effects, both in appearance and texture. By combining high quality and thicker than standard 2.0mm as opposed to 1.5mm) vinyl with the latest design and manufacturing technology which incorporates printing embossing and engraving, each of the unique designs offers both aesthetic beauty and a pleasant and surprising touch.

The texture of the Authentic and the new Vanity designs allows them to be certified as an anti-slip product to Cat C of the required DIN standard, and the Elegance design has its own complementary anti-slip option which also meets the standard. All Touch vinyls are ultimately protected by the Alkorplan 3000 multi-layer lacquering system for maximum protection within the pool environment.





Relax



Authentic

Elegeance

Vanity

233 Pool Liners

# **On-Site Lining**



**Exclusive Range - Island Dreams** 

Inspired by the textures and stunning looks of some of the most beautiful beaches in the world, the new Island Dreams range from Elbtal Plastics provides a unique opportunity to experience your holiday ideals in your own pool environment.

From the tranquil sands of Capri and Bali, to the darker tones of Hawaii and Tahiti, Island Dreams offer your choice of location at home. Designed with differing textures (which comply with all anti-slip standards) and carefully selected colouring, this pool lining system offers all the benefits of a traditional on-site lining installation with the addition of such a unique look.

The vinyl is manufactured to full swimming pool grade standard and as such can be used in the same range of installation possibilities as any other on-site lining vinyl. The anti-slip nature of the Island Dreams range means that it can be used on all surfaces, including steps and slopes, and complementary liquid PVC is used for sealing each seam.


#### Features

- Unique designs and textures replicating some of the finest beaches in the world
- · All the usual benefits of standard on-site lining vinyl
- Textures of each design allow the vinyl to comply with Cat C of the required DIN standard for anti-slip meaning the vinyl can be used safely on all surfaces
- Specific co-ordinated liquid PVC seam sealer
- EXCLUSIVE TO CERTIKIN IN THE UK

Capri



Bali



#### **Ceramics By Renolit Alkorplan (Special Order)**

Renolit Alkorplan Ceramics is a range of reinforced membrane with the appearance of ceramic mosaic, inspired by Greek mythology. Thicker than a traditional membrane in order to achieve the relief, Ceramics is one of most resistant, impermeable and lasting liners on the market.

Features

- · Unique designs to give the look and feel of ceramic mosaic tiles
- · All the usual benefits of standard on site lining vinyl
- Textures of each design comply with Cat C of the required DIN standard for anti-slip, meaning the vinyl can be used on all surfaces.



#### Selene

Silver-winged goddess of the moon: she captivated the hearts of the classic poets and now dazzles in the pool that have her. Selene, with a white lunar finish will captivate those who contem nlate her celestial waters clear as the sky on a summer's day.



Etna The Nymph that gave name to a volcano where the rays of Zeus, God of all the Gods, were forged. This lining is restrained and elegant, giving a spectacular and maiestic finish.




#### Sofia

Goddess of wisdom and source of all knowledge: magical, poetic and mysterious. Thissalmon toned lining is perhaps the most sophisticated, in a totally innovative colour in the swimming pool world, it offers a display of delicate turquoise blue in the water.



Atenea

Goddess of reason and the protector of Athens, a city bathed in Mediterranean Sea in which this lining was inspired, an intense blue, so warm, so deep, so ours. Athena gives the water an unequalled shine and subtlety.








Aid Blue with matching antislip mage courtesy of CAW Group

#### Infinite On Site Lining - Plain Colours

Plain, solid colours are ideal for creating an all over crisp finish. They can be combined with patterns around the perimeter, walls and floor if desired to create contrast and differentiation. Whilst solid colours are clean and even, they can highlight unevenness in the pool shell in some instances.

Our extensive range of colours offers the widest choice and the highest quality. All plain colours, with the exception of Marine Blue\*, are available in matching anti-slip variants – these can be used to complement the all over colour of your liner, or mixed with patterns and other colours to create areas of contrast on step treads, slopes, ledges and other safety areas.

Our full range is available to view in our free of charge sample swatches. Please contact 01993 777200 for provision of these and other lining samples.



White Bowled Hopper & Racing Lanes. Image courtesy of Fowler Pools



Water Feature - Plain Black. Image courtesy of Weststream



Pale Blue with matching antislip. Image courtesy of Pool Logic

## Certikin Pool Liners

Certikin have now been manufacturing liners for over ten years – once the new kids on the block we are now firmly established within the liner market, and for good reason.

With a pattern and colour range which continues to provide the traditional options but also challenge the 'norm', we offer a wider choice than ever before to liven up almost any pool. In-house state of the art design and cutting procedures ensure even the most complex shapes and sizes can be recreated and our overall delivered package, which includes our unique reinforced card-fibre drum as opposed to a cumbersome box and a free-of-charge selection of Certikin liner fittings, offers value for money that nobody else can match.

Our pool vinyls are sourced from the world's leading vinyl manufacturers: Canadian General Tower; Elbtal Plastics and Renolit, all of whom create materials to exacting standards and have a combined manufacturing experience of over 160 years. This range of supply allows Certikin to have the widest choice of patterns and colours available in the UK market, including many exclusive designs, without compromising quality.

Modern design and manufacture techniques allow us to take these excellent materials and create a high quality liner for almost any size or shape of pool, including those with features such as ledges, freeform curves, cover pits and integral steps.

As such, all of the liners Certikin manufacture, offer the following qualities and features:

- Lacquered surfaces over high quality prints to help guard against abrasion, staining and UV attack.
- Inclusion of anti-microbial bodies to help combat biological attack and marking.
- High levels of flexibility.
- High resistance to breaking, tearing and puncturing.
- Resistance to water temperatures up to 30<sup>0</sup>C.
- Resistance to pool chemicals in a balanced water environment.
- Manufactured in a clean, purposely equipped factory environment incorporating trained staff and cutting and welding machinery specifically designed for the manufacture of pool liners.
- 5 year pro rata guarantee

It should be noted that, despite best efforts and best practice during manufacture and despite use of the finest raw materials that the following restrictions apply and/or the following effects may be visible and are in no way classed as faults.

- Patterns on printed floor and wall panels and on tile bands, including mosaics, may not match at the seams due to high stretch factors, pattern complexity and cutting techniques

   aesthetic quality is not regarded as a warranty issue – pool owners should be made aware of this when choosing a liner pattern.
- Many darker materials are printed on lighter backgrounds. It is therefore common to have a fine light-coloured line along each seam due to the flow of material as it fuses together – this is the mark of a solid weld and is not a fault.
- Liner installation should ideally not be attempted in temperatures of below 10°C as the stretch factor of the liner will be greatly reduced – if installation is planned in temperatures lower than this please contact us to discuss sizing.
- If you are not happy with the initial fit of the liner, stop the installation and call us to discuss.
   DO NOT CUT THE LINER. Cutting of the liner will be seen as acceptance of the product.





In many instances, the impression seen of our pattern range in this price list just can't do the actual vinyl justice. The best way to establish how the pool will eventually look is to view the vinyl by browsing through one of our sample folders or retail hanging displays. All of our samples are provided free of charge and we would be pleased to supply one-off samples of a particular combination of vinyls if required. To find out more, or to request samples (including cover samples) please contact 01993 777200.



Items that are made to measure, bespoke are non-returnable items.

## Certikin Fully Patterned Pool Liners

		attern + Tile			
•	based on ler	•	dth		Price
T -	30 thou (j	per m²)			£57.75
Example	24 x 12	28 x 14	30 x 15	32 x 16	40 x 20
(30 thou)	£1547.83	£2106.77	£2418.49	£2751.70	£4299.53
			•	•	•
	file / Plain V				
- price b	ased on len	gth and wid	th		Price
т-	30 thou (j	per m²)			£47.20
Example	24 x 12	28 x 14	30 x 15	32 x 16	40 x 20
•		£1721.70		£2248.75	£3513.68
	<b>T</b> 'I D	nd price be	sed on length :	and width	<b>D</b> :
Plain Lin	er + Tile Ba	nu - price ba	ood on longar		Price
Plain Lini <u>T</u> -	er + Tile Ba 30 thou (j		ood on longar		Price £44.10
T -	30 thou (j	per m²)			£44.10
<b>T -</b> Example	30 thou (j 24 x 12	per m²) 28 x 14	30 x 15	32 x 16	<b>£44.10</b> 40 x 20
T - Example	30 thou (j	per m²) 28 x 14	30 x 15	32 x 16	<b>£44.10</b> 40 x 20

Example	24 x 12	28 x 14	30 x 15	32 x 16	40 x 20
(30 thou)	£1233.98	£1679.58	£1928.09	£2193.73	£3427.71

Note: Liners with a surface area (based on length x width) or less than  $9m^2$  carry a  $\pm 196.00nett$  surcharge.







10 YEAR GUARANTEE: All Certikin factory made liners now come with a 10 year pro-rata guarantee on their manufactured processes – i.e. seams and joins. So confident are we that the integrity of the liner will hold, that we are happy to double this element of the guarantee from 5 years to 10 years, on the pro-rata basis. This guarantee is against the welded seams of the vinyl liner and the connection of the beading strip. All other elements remain within the standard 5 year reducing guarantee.



**SMOOTH-SEAM:** Our unique soft-bar welding technique has been improved in order to offer the most aesthetic seam possible. Traditional welding techniques use a harsh brass welding electrode to create the vinyl seam, this can result in a very pronounced and hard seam which can catch on the feet and be a dirt trap. Certikin's 'smooth-seam' allows the vinyl edges to be softened into one another, thus creating a flatter, smoother and better looking liner, without compromising quality. NOTE: The 'smooth-seam' process is designed as an aesthetic improvement, it is not designed to makes seams disappear or for patterns at seams to match - aesthetic quality is not regarded as a guarantee issue.

**Packaging** - Most Certikin liners will be delivered to the required address in a steel reinforced card-fibre drum so the liner can be rolled rather than carried to the pool side.



All Liners have a £36.00 nett delivery charge.



ltems that are made to measure, bespoke are non-returnable items.



# Certikin Pool Liners

#### Tile Band Option (combine with any wall and floor mix for an attractive and protected finish at the waterline)

Note: Tile band widths vary from design to design. Please enquire if this will be a concern.





Lincoln Grey - WSL

Lisboa Blue





**Oxford Grey** 


<u>~@/@/@//</u>

Ipanema Blue

Oxford SAND



Mallorca Blue



Mosaic





**Royal Mosaic** 



Pompei Blue

238 Pool Liners









Olympia Blue



Carthage Green - While stocks last



#### Bronze Star (WSL)



Persia Sand Mosaic




Items that are made to measure, bespoke are non-returnable items.




**Carthage Blue** 

Persia Blue Mosaic





Patterned Wall & Floor Liner Options (for an all over patterned finish, or mix and match with plain colours and tile bands)



All Certikin Liners are now embossed with a unique identification number. This handy identification number will be situated in the centre of the deep end wall, just below the beading. So when the time comes, an exact replacement order can be easily raised using the existing drawings we have saved on file, saving you time, money and hassle.

Order number

Certikin

Year

Month

## Certikin Fully Patterned Pool Liners

#### **Exclusive Contemporary Tile Band Liners.**

Certikin's exclusive range of contemporary tile band liners offers a wide range of options, opening a new avenue of colours and designs which can contrast greatly from the standard and commonly seen traditional ranges.

Stock is held in two forms, a narrow width wall section with a pre-printed border over an exciting wall design, and then a wider floor section which is the same pattern as the background of the wall – hence the two combine together to form an all-over pattern with a distinctive co-ordinated tile band.

The pre-tailored wall depths offer a perfect fit against the common 3'4" shallow end wall, but because the floor panel is a match, any wall depth can be achieved by flowing the floor material up the wall. In certain circumstances, vinyl strips will be added to the base of the pre-made wall to extend the depth. For Bourbon Street and Royal Mosaic pattern this matching at the seams is not possible.

Whilst the contemporary tile designs are pre-printed onto the basic wall design, it is also possible to cross-match these tile bands with any other patterned or plain wall/ floor combination. We can manually trim the required tile band from one wall section and then weld it onto the desired wall pattern. Naturally this does introduce some wastage of materials and extra labour content for us, therefore a running metre surplus charge should be applied to the base cost of the liner you desire. For example, if you require the Savona Tile above a plain blue liner, add the price per metre stated below (multiplied by the perimeter of the pool) to the cost of a plain blue liner.

Tile band widths vary – please enquire if this will be a concern).



Items that are made to measure, bespoke are non-returnable items.







**Cambridge Midnight** 



Sierra Midnight



**Park Avenue Quartz** 

	rary Tile Ba ed on length				Price
т.	30 thou (pe	er m²)		f	70.28
Example	24 x 12	28 x 14	30 x 15	32 x 16	40 x 20
(30 thou)	£1883.51	£2563.67	£2942.99	£3348.47	£5231.98
Cross Mat	ich Tile Banı	1			Price

T LXMT Cross match tile band - per metre £31.05

All Certikin manufactured liners will be supplied with a FREE OF CHARGE fittings replacement kit\*. STANDARD RETAIL KIT PRICE £229.19 YOURS FREE WITH A CERTIKIN LINER. \*kit contents cannot be changed or modified. Kit may be sent under separate package but at same time as liner dispatch.

SPHD101LT SPHD53LT	WAET Liner kit (inc cover, plate, flange, gasket & screws) Inlet liner kit (inc flange, gasket, eyeball & screws)	Qty 2 Qty 3
SPHD33LT	High velocity main drain kit	
	(inc high velocity lid, flange, gasket & screws)	Qty 1
SPPU9L	Light liner kit (inc facia ring, flange, gasket & screws)	Qty 1
SPC490	CKHD54 Suction grille only	Qty 1

## Certikin Liner Fabrication



#### Liner Steps

LIIII	er Stehs		Price
D	LVSTEPIN3	Liner step - Angled corner - 3 tread	£725.00
D	LVSTEPIN4	Liner step - Angled corner - 4 tread	£835.00
D	LVSTEPCC3	Liner step - Curved corner - 3 tread	£835.00
D	LVSTEPCC4	Liner step - Curved corner - 4 tread	£950.00
D	LVSTEPSS3	Liner step - Square stair - 3 tread	£795.00
D	LVSTEPSS4	Liner step - Square stair - 4 tread	£905.00
D	LVSTEPRE3	Liner step - Roman step - 3 tread	£960.00
D	LVSTEPRE4	Liner step - Roman step - 4 tread	£1070.00
D	LVSTEPIS3	Liner step - Inside square - 3 tread	£940.00
D	LVSTEPIS4	Liner step - Inside square - 4 tread	£1050.00
D	LVSTEPFW3	Liner step - Full width - 3 tread	£940.00
D	LVSTEPFW4	Liner step - Full width - 4 tread	£1050.00

For roller pits, ledges and steps with more than four treads - please enquire.



#### **Certikin Liner Fabrication**

As the general ability to manufacture pool liners improves, it has become possible to fabricate more complex shapes and features into a single piece 'bag' liner. Curves and banks are common within pools, and as the popularity of slatted covers increases, pools which require ledges and pits to accommodate these are also being seen more and more. Liners can comfortably be manufactured to follow all of these shapes and features.

In addition, Certikin liners can now be fabricated to neatly follow the profile of a variety of internal and external pool steps, whether curved or straight. We require 100% accurate and detailed dimensions, but on supply of such the manufacture of almost any style or position of step is possible.

Steps will be formed in numerous ways depending on their style and can be of a single piece of vinyl which flows from the floor up the steps to the pool wall, or from multiple sections welded together to form the individual planes of each tread and riser. Liner steps can be formed using any patterned or plain colour but consideration should be given to how a shaped feature will appear – for example forming a mosaic liner over curved or angled steps can lead to the natural flow of the mosaic being compromised. Equally, steps with particularly tight angles and dimensions often need multiple, close range, welds – these can be emphasised if made in plain coloured liners. The overall best effect is seen in mid and pale coloured random pattern material.

Installation of the step is equally critical – the step should be positioned first and held in place with weights so it cannot move out of place as the remainder of the liner is positioned and stretched. There should be a minimum of 6" (150mm) of water on the top step to minimise any possibility of liner slip. It should always be made aware to pool owners that the fit of the liner over the steps does not guarantee it will not move – only the water pressure holds the liner in place. Equally, all should be aware that the vinyl from which steps are manufactured is not designed as a non-slip material and great care is needed when using this product in the pool.

#### Certikin North – Equipped To Supply

In addition to having depth of experience in production operatives, Certikin North has continually invested in the most current equipment in order to improve efficiency, accuracy and quality. The purpose equipped liner manufacturing facility in Leeds boasts customised CAD software packages, purpose made high frequency welding equipment, automated beading application and a fully integrated material handling and dispensing carousel and automated cutting table.



# Pool Mat - WSL

Simply the easiest way to decorate your pool! PoolMat is a high quality pool motif manufactured on heavy duty vinyl with UV and chemical resistant inks which simply sits on your pool floor.

No adhesives, no suction, no specialist fixing required. The PoolMat is held down by its own weight and the pool water. All you need to do is slide the mat into the water, position it where you want it and ensure there is no air or water trapped underneath. Literally installed in seconds into a full or partially full pool. Suitable for all smooth-surface pool types (not tiles) on a level surface.

If you want a change, simply lift the PoolMat and move it around the pool, or alternate with other PoolMats.

PoolMat comes in a range of pre-manufactured designs in a standard 59" (4' 11" / 1.5m) diameter at the price listed below.

#### Features:

- 1.5m diameter motif (or custom sizes available)
- Easy to install just place in the water •
- No adhesives, suction or special fixing
- · Heavy duty 1/8" (3mm) vinyl mat with UV and chemical resistant inks
- Compatible with automatic cleaners
- Suitable for all pool types (excluding tiled finishes).
- Pre-manufactured or custom designs available.


#### Please note that Pool Mats are unsuitable for use on indoor pools.



D PM067 Blue Hibiscus Pool £315.00 Mat - 1.5m diameter



Blue Plam Trees Pool Mat Price Blue Palm Trees Pool D PM025 £315.00 Mat - 1.5m diameter





Tropical Fish Pool Mat Price D PM057 Chasing Dolphins Pool £315.00 Mat - 1.5m diameter



Compass Po	ool Mat	Price
D PM001	Compass Pool Mat - 1 5m diameter	£315.00



Aquatic Fish Pool Mat Price Aquatic Fish Pool Mat - £315.00 D PM015 1.5m diameter



Chas	ing Dolp	hins Pool Mat	Price
DF	M049	Chasing Dolphins Pool Mat - 1.5m diameter	£315.00

## Liner Accessories - Leakmaster

Leakmaster

Lou	Rindotoi		Price
۵	LVPS123	Peel & Stick Vinyl Patches - Assorted	£20.75
۵	LVPBLK	Peel & Stick Sheet – 175mm x 610mm	£33.65
۵	LVFS4W	Flexible sealer / leak repair 4oz tube - white	£23.00
۵	LVFS4B	Flexible sealer / leak repair 4oz tube - blue	£23.00
۵	LVBT15	Leakmaster Butyl Tape - 15 feet	£28.00
۵	LVABEW	A+B Epoxy Putty 14oz - White	£28.00
٥	LVABEB	A+B Epoxy Putty 14oz - Black	£28.00
Q	LVQSP	Quick Set Putty – single stick	£14.85
۵	LVPRP	Pool Repair Putty – single stick	£14.85

Leakmaster Peel & Stick Vinyl Pool Patches are an excellent addition to the range - offering instant adhesion onto vinyl liners under water. If you have a small puncture or tear in your liner, simply wipe the area to clean lightly, peel off the patch backing and apply into place. The instant grab solvent free adhesives immediately adhere to the liner and the bond strength continues to build over a 24 hour period.

The patches are practically invisible when underwater and will not yellow over time. Available in a multi-pack of 4 x 2", 7 x 1  $\,$  1/2" and 10 x 1". The patches are pre-cut to diameters. No glues or adhesives are required literally peel and stick.

#### Leakmaster Flexible Sealer and Leak Repair

Manufactured by leak-repair specialists Anderson, Leakmaster is a nitrilerubber based sealant which provides a strong adhesive bond to almost any surface around the pool - including liner vinyl. When applied to a surface, Leakmaster skins over in seconds, even underwater, and can then be flattened into place leaving a strong but flexible repair which can fully cure in minutes depending on the application.

- Seals vinyl liner leaks with or without a patch
- · Seals between liner and face plates and fittings
- Can be used as a thread sealant
- · Seals small cracks in concrete and render
- Can be applied underwater
- · Available in white and light blue

#### Leakmaster Butvl Tape

Hand-mouldable rubber gap filler that can be applied underwater without the mess of sealants or mixed products. The tape retains a flexible, tacky consistency making it well suited for a variety of permanent and temporary leak-stopping applications.

- · Replace gaskets without removing the fitting
- Fill and seal cracks, gaps and voids
- · Ideal for packing around cable where glands have perished.
- · Available in 15' length
- · Workable at temperatures below freezing
- · Can be removed if required

#### Leakmaster A+B Epoxy Putty 14oz – White or Black

This two part hand moldable epoxy putty cures in 40-60 minutes and is available in both white and black. Craftsman quality formulation smooths and feathers nicely under water without excessive clouding, making A+B putty the perfect choice where appearance is important. Fill and repair cracks in plaster, concrete, fibreglass and acrylic Repair cracks in skimmers, main drains and fittings

The Leakmaster range of product, manufactured by Anderson, offers a range of problem solving products designed to help with many pool problems, but especially with vinyl liners. From leak detection to repair, Leakmaster helps with a speedy and accurate solution.



Patches







GUICK SET PUTTY

A CREAMERTING



#### Leakmaster Pool Repair Putty

This convenient and versatile epoxy works under water without clouding the water and cures to a bright white in 20-60 minutes. This 'one-stick' format eliminates waste and misproportioning. Fills and repairs cracks in plaster, concrete, fibreglass and PVC Repair cracks in skimmers, main drains and fittings

Leakmaster Quick Set Putty Hand moldable epoxy putty in a convenient 'one-stick' format. hardens above or below water to an 'off-white' colour. Aggressive adhesiveness and fast 5-minute cure time makes Leakmaster Quick Set the obvious choice for a multitude of non-cosmetic repairs.

- Repairs cracks in skimmers, main drains and fittings
- Fills cracks in plaster, concrete, fibreglass or PVC
- Pack around light cable to repair leaking light conduit (permanent)
- Create a cast around pipe to hold Butyl Tape in place for plumbing leaks



# Leak Detection & Pressure Testing

#### Leak-Trac Liner Leak Detection System

In the unfortunate event that a liner should spring a leak, finding the area or areas which are problematic can be very time consuming, very frustrating and very costly.

Anderson's unique electronic leak detection kit simplifies this issue massively and allows the quick location of water loss points without draining the water and without getting into the pool – saving time and money.

This sophisticated but simple device puts a small electrical charge into the pool water. The charge seeks a point to earth and since the pool liner is an excellent electrical insulator the only points to earth are made through conductive penetration in the liner, i.e. holes! The Leak-Trac system detects electrical current flow in the water and therefore identifies these 'earth connections' and produces an audible signal that will lead the operator to the point of the leak.

The Leak-Trac system will work on any water containing vessel with an electrically insulating shell, e.g. vinyl liner, fibreglass, acrylic etc.

The Leak-Trac is available to order and keep as a full new kit, or we can arrange for one of the kits we own to be loaned, used and returned for a fee. The loan period is for three working days, excluding carriage time, and the cost includes dispatch and return transport plus use of helpful consumables which Certikin add to the loan kit (detection die and flexible sealer). Evidence of condition and content of the kit will be recorded before each dispatch and any discrepancies, breakages or return failures will be charged at a fee up to the full sale price of the kit. Conditions and user instructions will be sent for approval before dispatch to confirm and authorise the transaction. Contact Certikin North for full conditions.

#### Leakmaster Pre-Filled Dye Testers

These convenient syringe style testers are charged with a special concentrated dye that holds together underwater. A six-inch plastic 'needle' allows for precise dye placement without creating unwanted currents.

- · Identify the precise location of structural pool leaks
- · Identify water movement in or out of pipes
- Can be re-filled with Leakmaster dye
- Available in blue (for light backgrounds) and fluorescentyellow (for dark backgrounds).
- Sold as single units
- Deep water dye kit pole attachment available
- Extension tubes are available to extend the reach of the dye test syringes

Leakmaster Pressure Testing Kits & Repair Accessories Pressure Testing Kits include a Pressure Tester and Open Stem Plugs as well as an assortment of Closed Plugs all packed in a convenient carrying tote. These kits provide what you will need to quickly and confidently pressure test most domestic swimming pools. Additional plugs sizes and styles are available by request to add to the kits if required – orders placed on demand only.

**Cable Saw:** This handy cable saw allows you to cut through plastic pipe easily and quickly. Includes plastic handle grips and a 32" (81cm) steel cable which cuts almost any plastic pipe – only ???" (6.5mm) clearance required.

**Inside Pipe Cutters:** These convenient tools attach to drill chucks and allow for cutting of PVC pipes from the inside. The IPC100 comes with a blade suitable for cutting 1 1/2" to 2" pipe and the IPC200 comes with two blades which offer a cutting range from 1 1/2" to 6" pipe. Replacement blades are available to purchase.



#### Leak-Trac Liner Leak Detector System


			11100
-	LT2400	Leak Trac Leak Detector System (order on reques	t) <b>£2415.00</b>
-	LTLOAN	Leak Trac Loan (3 days)	£240.00
٥	LVDTY	Single dye tester - fluorescent yellow	£11.75
۵	LVDTB	Single dye tester - blue	£11.75
۵	LVYD8	8oz bottle of dye refill - fluorescent yellow	£15.75
۵	LVBD8	8oz bottle of dye refill - blue	£15.75
Q	LVDDEEP	Deep water dye test pole attachment (no dye)	£51.70
Q	LVDTET	Deep tester extension tube - per foot	£1.95

Price

Price

#### Leak-Trac Pressure Testing Kits & Repair Accessories

		5	THUE
-	PTK226	32 piece pressure testing kit - for 1" to 2" lines	£515.00
-	PTK246/48	48 piece pressure testing kit – for 1" to 2" lines	£815.00
-	CSAW	Cable Saw	£13.35
-	IPC100	Inside pipe cutter for 1.25" to 2" pipe	£96.00
-	IPC200	Inside pipe cutter for 1.5" to 6" pipe	£193.65
-	IPB64	Replacement Blade for IPC100 - cuts 1.25" to 2" pipe	£25.00
-	IPB32	Replacement Blade for IPC200 - cuts 1.5" to 2" pipe	£28.00
-	IPB40	Replacement Blade for IPC200 - cuts 3" to 6" pipe	£32.00



### **Pool Liner Accessories**

#### **Liner Pool Accessories**

Liner underlay or foam is an essential extra for achieving the best possible finish for your newly lined pool. Suitable for site lined and bag lined pools, liner underlay or foam offers slight cushioning and protection to the rear of the lining and contributes a smoothing effect to the pool shell.

Our foam is cut to a 1.02m (3' 4") and 1.50m width to suit a standard wall depth and offers extra protection and cushioning in these higher impact areas. Foam is generally used on walls only. It is recommended that on metal panel walls felt is used in place of foam as differentials in temperature can cause condensation built up behind the liner - felt will allow this moisture to percolate to the pool floor as opposed to sit behind the membrane.

Underlay felt is suitable for all areas of a pool structure and is available in three grades. The industry standard 300g per m<sup>2</sup> product is available by the m<sup>2</sup> to suit individual installations or in trade rolls of 200m<sup>2</sup> (100m x 2m) for multiple installations.

Our reinforced underlay felt is a heavier duty (375g per m<sup>2</sup>) and includes a woven scrim which makes this felt more rigid and easier to position on the pool shell planes - it is also more durable and is commonly used on site lining installations (Certikin use this as standard when site-lining) and is available in full rolls of 50m x 2m.

Our new economy felt is a finer, lighter-weight (250g per m<sup>2</sup>), lower price product designed to offer basic protection on smaller or lower cost pools.

#### Liner Underlay

			FILCE
D	LVFELT	Standard 300g underlay (2m wide) per m2	£5.85
D	LVFELT/210	Standard 300g underlay (2m wide)- per 100m roll	£985.00
D	LVFELT/R	Reinforced 350g underlay (2m wide) - per 50m roll (full roll only)	£630.00
D	LVFELT/E	Economy 250g Underlay (2m wide) - per 25m roll	£230.00
D	LVFOAM/8	8mm TA foam (1.02m wide) per 50m roll	£385.00
D	LVFOAM/9	9mm TA foam (1.50m wide) per 50m roll	£495.00
D	LVADH/SP	Liner underlay spray adhesive- box 12 cans (coverage 10-12m²/tin)	£85.50
D	LVTAPE	Liner underlay tape 50m x 50mm	£16.75



Linerlock Wedge - White / Black			Price
D	LVWEDGE	Linerlock wedge White - per 100m roll	£170.00
D	LVWEDGE/B	Linerlock wedge <b>Black</b> - per 100m roll	£170.00



Cover Up Strip - White Price D LVWEDGE/CUW Single flap cover up strip - 25 x 3m lengths £135.00










Side Mount Linerlock D 3859 Side mount liner lock per 3 metre lengths

Top Mount Linerlock D LKTM/WB Top mount linerlock £13.75 per 3 metre lengths



Our standard liner-lock wedge has a smooth rounded profile so in addition to securing the liner bead in place it offers a consistently neat trim in the opening of the liner-lock. Cover-up wedge performs in the same way as the standard wedge, but also gives a finishing trim above the liner-lock to cover any visible grout or cement seam above the liner-lock. The liner-lock insert strip is designed for use when a pool is being built or refurbished. This simple but effective strip can be inserted into the mouth of the liner-lock and will prevent the mouth being crushed closed by copings and will stop debris and mortar/ grout settling in the liner-lock during construction/refurbishment. The insert strip can be left in the liner-lock right up to the point when the liner is installed, the insert can then be simply pulled out with its attached tab.

Price

£17.65

Price

## **Liner Pool Accessories**



RP100Q is suitable for splash areas but is not to be submerged.

Price

Quick Set Repair Putty Price D RP1000 25gms 0/S Repair Putty £9.30 (30 minutes setting)



Fix-a-leak Price C FL-32 Fix-a-leak 32fl oz £50.00



Aq	uastick 175	ōgms	Price
C	AQSTICK	Epoxy putty (for underwater and tiles)	£16.25



Sunsorb D SSORB SunSorb £13.95

UN3576



Masonry Nails Price D 3862 Box of 250 £8.75 masonry nails



Sta	Standard Set Repair Putty Price				
C	RP100S	125gms Repair Putty (6 hr setting)	£9.30		



	o futorios officir	Price
C UN3575	Small underwater self adhesive patches	£7.50
Self Adhesive	e Patches - Large	Price
C UN3576	Large underwater self adhesive patches	£11.75



		1/4 pint tin	
C	UN3580	Underwater glue - 1 pint tin	£48.40



Underwater Glue - Tube			Price
В	UN3577	Tube of glue & material - 1oz	£7.90
В	UN3578	Tube of glue & material - 2oz	£13.05
C	UN3579	Tube of glue & material - 4oz	£28.80



Ins	struction B	looks / Leaflets	Price
E	3560	Vycon liner hopper pool construction guide	£4.95
E	3564	Vycon pool owners guide	£4.95
E	3807V	Vycon construction video	£18.50



Pat	ches		Price
۵	FP-36	Flexi-Patch - Per patch	£29.50

NEW - Flexi-Patch is an easy to use flexible repair patch ideal for repairing almost any surface. It cures quickly using only UV light from sunlight or a UV torch for a long lasting, permanent repair. Flexi-Patch is a fibreglass reinforced polyester ideal for us on PVC, plastics, metal, wood, concrete and more. It dries hard for a permanent repair. Can be drilled, tapped and painted if required once dry.

- Extremely durable fibreglass reinforced patch •
- Flexible and waterproof
- Weather and UV resistant
- Temperature safe from -30degC to 365degC •
- Will not shrink or expand during or after application
- Bonds to all surfaces expect polypropylene •
- Cures quickly as fast as 5 minutes